

Good through 3/3/25



EARLY ORDER PROGRAM

Special Prices & Quantity Discounts on Select Items!



Scan our QR code to request a free catalog!

Additional discounts on \$5000 orders
Call for details



- Technical Support
- 24/7 Online Ordering

- Huge Inventories
- Same Day Shipping

FREE FREIGHT
* On Orders \$2500+



DULTMEIER.COM OMAHA, NE (800) 228-9666 DAVENPORT, IA (800) 553-6975

* Continental U.S. Only. Tanks, Pipe & Sprayers Excluded. Please Allow 3 Weeks for Large Early Orders to Ship.
- Prices Subject to Change Without Notice -



SPECIAL PRICES

WILGER & TEEJET NOZZLES, CAPS & GASKETS

TeeJet Spray Nozzles

Save 10% On 50+ of One Size



Flat Spray
(XR & TP)



Turbo
Floodjet
(TFVS)

Part No.	Description	SPECIAL
SS XR8001VS thru XR11008VS (& VK's)	Extended Range Teejets	\$ 5.80
SS TP8001VS thru TP11006VS	VisiFlo Teejets	5.30
SS TP8001EVS thru TP9508EVS	Even Teejets	5.20
SS TFVS (Stainless)	Turbo Floodjets (All Sizes)	11.20
SS TFVP (Polymer)	Turbo Floodjets (All Sizes)	2.70

Note: Cap & Gasket are Not Included

Nozzle Cap Assembly with Gasket

Polymer Body with Stainless Insert

AIC Nozzle
Combo w/
Tip, Cap &
EPDM
Gasket



Part No.	Description	SPECIAL
SS AIC110025VS thru AIC11010VS		\$ 12.30

Part No.	Description	SPECIAL
SS XRC110025VS thru XRC11008VS		\$ 7.15
SS XRC80015VS thru XRC8006VS		7.30



XRC Nozzle
Cap
Assembly
with Gasket



AIXR Nozzle Combo
with Tip, Cap & EPDM
Gasket

Part No.	Description	SPECIAL
SS AIXR110015VP-CE thru 11006VP-CE	Nozzle Assembly	\$ 7.70
SS AIXR11008VP-CE thru 11010VP-CE	Nozzle Assembly	8.65

TTI Nozzle Combo with
Tip, Cap & EPDM
Gasket



Turbo TeeJet
Induction

Part No.	Description	SPECIAL
SS TTI110015-VP-CE thru 11006-VP-CE	Nozzle Assembly, Tip, Cap & EPR Gasket	\$ 10.50
SS TTI11008-VP-CE thru 110010-VP-CE	Nozzle Assembly, Tip, Cap & EPR Gasket	12.70



TT Nozzle Combo with
Tip, Cap & EPDM
Gasket

Part No.	Description	SPECIAL
SS TTI11010-VP-CE thru 11008-VP-CE	Nozzle Assembly, Tip, Cap & EPR Gasket	\$ 6.80
SS TTI11010-VP-CE thru 11012-VP-CE	Nozzle Assembly, Tip, Cap & EPR Gasket	8.70



Turbo Twinjet

AITTJ60 Nozzle Combo with
Tip, Cap & EPDM Gasket

Part No.	Description	SPECIAL
SS AITTJ11002VP-CE thru 11006VP-CE	Turbo TwinJet Nozzle Assembly, Includes Tip, Cap & EPDM Gasket	\$ 8.20
SS AITTJ11008VP-CE thru 110015VP-CE	Turbo TwinJet Nozzle Assembly, Includes Tip, Cap & EPDM Gasket	10.10

Twin Flat
Air Inductor



TTI60 Nozzle Combo with Tip,
Cap & EPDM Gasket

Part No.	Description	SPECIAL
SS TTI6011002VP thru 11006VP	Twin Flat Air Induction Tips/Caps/Gaskets ...	\$ 11.90

APT Nozzle Combo with Tip,
Cap & EPDM Gasket



AccuPulse
Twinjet

Part No.	Description	SPECIAL
SS APTJ110015VP thru 11008VP	AccuPulse TwinJet Nozzle Only	\$ 9.70
SS APTJ110015VP-CE thru 11008VP-CE	AccuPulse TwinJet Nozzle, Cap Assembly with Gasket	10.40

QJ 360 Nozzle Body Turrets

Less Caps



QJ360 Nozzle Assemblies
for Wet or Dry Booms

Available in 3, 4 or 5 nozzle style with Viton® diaphragm. Pressures to 300 PSI. 2.25 GPM @ 5 PSI and 3.20 GPM at 10 PSI.

For wet pipe booms use either 3/4" or 1". For dry booms always use the 3/4NYB version and add the 1/2", 3/4" or 1" single or double hose connectors. For dry boom mounting use QJ Round or Square Vari-Spacing clamps.

Standard Check/Opening Pressure is 10 PSI. (2, 5, 8, 15 & 20 PSI also available)



QJ363



CP38936NYB
CP38938NYB
CP38940NYB



CP38937NYB
CP38939NYB
CP38941NYB

QJ370 Nozzle Body Turrets

Less Caps



Wet Boom
Style



High Flow Rates In A
Compact Design

Viton®



Dry Boom
Style

Wet Boom Versions:

Part No.	Description	SPECIAL
SS QJ373-3/4NYB	3 Outlet QuickJet Nozzle Body for 3/4" Pipe	\$ 8.70
SS QJ373-1NYB	3 Outlet QuickJet Nozzle Body for 1" Pipe	8.20
SS QJ375-3/4NYB	5 Outlet QuickJet Nozzle Body for 3/4" Pipe	8.10
SS QJ375-1NYB	5 Outlet QuickJet Nozzle Body for 1" Pipe	8.60
SS QJ363-1NYBVI	1" 3-Nozzle Assembly, Viton®, Less Connector	15.80
SS QJ365-1NYBVI	1" 5-Nozzle Assembly, Viton®, Less Connector	16.70

Dry Boom Versions (Hose Barbs Included):

Part No.	Description	SPECIAL
SS QJ373-750-1NYB	3 Outlet QuickJet Nozzle Body with 3/4" Single HB	\$ 10.80
SS QJ373-750-2NYB	3 Outlet QuickJet Nozzle Body with 3/4" Double HB	10.90
SS QJ373-1000-1NYB	3 Outlet QuickJet Nozzle Body with 1" Single HB	10.80
SS QJ373-1000-2NYB	3 Outlet QuickJet Nozzle Body with 1" Double HB	13.90
SS QJ363-34NYBVI	* 3/4" 3-Nozzle Assembly, Viton®, Less Connector	15.80
SS QJ365-34NYBVI	* 3/4" 5-Nozzle Assembly, Viton®, Less Connector	15.10



Combo-Rate II Nozzle Body Systems



WL 41434-00
Combo Rate II Saddle/Body
2 Way, 3/8" Inlet. Includes
Manual Shutoff Valve (MSO)



WL 41515-00
5-Way Turret



WL 20460-04
U-Clip



WL 41100-02
Body Nut



WL 41285-00
Male Plug



WL 41100-03
Diaphragm
Check Valve



Shown here completely
assembled with
5-Way Turret & Plug

- Call Us for Pricing and Information -





SPECIAL PRICES

GREENLEAF & WILGER SPRAY & BOOMLESS NOZZLES



TDXL TurboDrop® Nozzles

Air Injection Minimizes Drift

- TurboDrop® XL Nozzle (TDXL) • Pressure 20 - 120 PSI
- "D" Denotes Drift Control

The TurboDrop® Venturi utilizes a patented stabilization chamber and pulsation dampener which results in an even mixing of air with the spray liquid and a tighter more uniform droplet spectrum for a unique combination of drift control and coverage.

The TurboDrop® XL nozzle is unique among air injection nozzles in that it was designed for contact chemicals, not just glyphosate (a systemic herbicide).

* Always confirm the label of your product to see approved tips.



Part No.	Description	Price
GT TDXL11001 thru TDXL11010	Medium Pressure TurboDrop® Nozzle with Gasket	CALL
GT TDXL11001-D thru TDXL11010-D	Drift Control Turbo Drop® Nozzle with Gasket	CALL

SPECIAL
CALL
CALL

TurboDrop® Dual Fan Nozzles

Air Injection Minimizes Drift



The D Version of the TurboDrop® Dual Fan Nozzles (TADF-D) were designed with dicamba, 2, 4-D and glyphosate in mind, where a coarser spray droplet is desirable. Alternating the TADF-D nozzles with the 10° fan forward and then the 10° fan backward on the boom will help counter potential loss of coverage by effectively spraying the target four times.

(TADF) may improve coverage with certain canopy types, or even help target smaller, just emerging weeds.

Part No.	Description	Price
GT TADF01 thru TADF10	Medium Pressure Dual Fan Nozzle with Gasket	CALL
GT TADF01-D thru TADF08-D	Medium Pressure Dual Fan "D" Nozzle with Gasket	CALL

SPECIAL
CALL
CALL

Boomless Nozzles

We Stock All of These Brand Boomless Nozzles Also!



HYPRO® BOOMFLATOR® XPBoomJet®

- Call Us for Current Pricing -

TeeJet® Electromagnetic Flowmeter

— No flow obstructions, no clogging risk! —

FM9380-F75 Electromagnetic Flow Meters are a newly-designed TeeJet flow meter featuring no moving parts – eliminating the required service and maintenance costs of traditional turbine flow meters. Built with the same high-quality materials and performance reliability TeeJet is known for, the FM9380-F75 flow meter offers an impressive flow range of 0.6 to 100 GPM, maximum pressure rating of 200 PSI, and convenient TeeJet 75 Series/Banjo 200 series flange connections. Stainless steel internals and Viton seals. These 12V electromagnetic flow meters work with any conductive fluid, be it agrochemicals or fertilizers, and are unaffected by changes in fluid temperature, density, viscosity, concentration, and conductivity – ensuring precision accuracy across the entire performance range.



Part No.	GPM	PSI	Material	Size/Flange Connection	Wiring Connection	Price
SS FM9380	0.6-100	200	Poly	2" - 75 Series	3 Pin Deutsch	\$ 751.00
SS FM9380C	0.6-100	200	Poly	2" - 75 Series	3 Pin Conxall	751.00

COMBO-JET® SPRAY TIP SERIES: COMPARISONS AT A GLANCE



DX Series – Narrow Angle Drift Reduction

-PWM Approved-



Wilger's newest Combo-Jet® nozzle, the DX Series is a narrow-angle spray nozzle designed for exceptional drift reduction within specialty and spot spraying applications. DX spray tips are an especially effective option for spray-on-green and green-on-green optical spot spraying systems. Narrow angle nozzles allow for concentrated, more-direct applications of systemic herbicides, fungicides, and foliar fertilizers to the target plant – therefore reducing treatment costs and waste while also decreasing drift. Available in 20-, 40-, and 60-degree angle spray patterns.

Part No.	Description	Price
WL DX40-03 thru DX40-125		\$ 11.90
WL DX60-015 thru DX60-10		11.90
WL 40250	50 Mesh Strainer	1.70
WL 40251	100 Mesh Strainer	1.70



Combo-Jet® 110 Degree Flat Fan Nozzles

The Combo-Jet® Tip-Cap with Its Snap-In Strainer is Easier to Clean and Stays Clean Longer





- WLMR110-01 thru MR110-30
- WLER110-01 thru ER110-30
- WLSR110-01 thru SR110-30
- WLDR110-01 thru DR110-30
- WLUR110-01 thru UR110-10

Save 10% On 50+ of One Size

- Call Us for Pricing -

Quick Turbo Floodjet Nozzles

"Turbo FloodJet Nozzles" standard features include: • Unique orifice design that produces larger droplets for reduced drift and clogging • Precise spray distribution for dramatic improvement in pattern uniformity • Stainless steel construction with color-coding for identification • Grooved side molding for automatic alignment with any quick-connect coupler • Requires only 30% overlap, enabling the use of fewer, larger nozzles.



Nozzle Spacing	Suggested Minimum Spray Height*
40"	18 - 20"
60"	25 - 28"
120"	50 - 55"

*When nozzle is mounted parallel to the ground.

5% Quantity Discount on 25+ One Size

Part No.	Description	Price
SS QCTFVS15 thru QCTFVS80	Turbo FloodJet Nozzles	\$ 29.50
SS QCTFVS100 thru QCTFVS120	Turbo FloodJet Nozzles	40.50
SS QCKSS150 thru QCKSS210	FloodJet Nozzles	69.00
* TK P075B	3/4" Poly Coupler with Guide	9.50

* Quantity discounts do not apply





SPECIAL PRICES

HYPRO NOZZLE BODIES & SPRAY TIPS - STREAM NOZZLES

HYPRO® Ultra Lo-Drift Spray Tips with Dual Air Eduction Technology for Weed Control



Features: ULD Creates Air-Filled Droplets which Significantly Reduce Spray Drift • Wide Spray Angle (120°) • Uniformity at All Pressures (15-115 PSI) • Precision Molded from Durable Polyacetal • Available in Sizes 015 to 08 • Convenient FastCap™ Available • FastCap® complete includes tip, cap, gasket and 50M strainer for sizes 015-06. Includes EPDM gasket.

10% Discount on 50+ of One Size


Part No.	Color	GPM @ 40 PSI	20" Spacing GPA @ 12MPH	20" Spacing GPA @ 16 MPH	SPECIAL
TW FCULD120015	Green	.15	3.7	2.8	\$ 11.80
TW FCULD12002	Yellow	.20	5.0	3.7	11.80
TW FCULD120025	Purple	.25	6.2	4.6	11.80
TW FCULD12003	Blue	.30	7.4	5.6	11.80
TW FCULD12004	Red	.40	9.9	7.4	11.80
TW FCULD12005	Brown	.50	12.4	9.3	11.80
TW FCULD12006	Gray	.60	14.9	11.1	11.80
TW FCULD12008	White	.80	19.8	14.9	11.80

HF High Flow 140° Wide Angle Drift Reducing Tips for Fertilizer

HYPRO®

Features: High Volume Coverage or High Speed Applications • 140° Pattern Ensures Unmatched Uniformity Across the Spray Boom & Throughout the Entire Pressure Range (20-80 PSI) • Wide Spray Angle (140°) Allows for Lower Spray Height • Droplets (XC) are Under 100 Microns are Controlled • Straight-Through Design Reduces Clogging & Easily Fits Directly on Standard Nozzle Bodies • FastCap™ Design Adds Convenience.

Fast Cap Combo with Tip, Cap & O-Ring



10% Discount on 50+ of One Size

Part No.	Color	GPM @40 PSI	20" Spacing GPA @ 12MPH	40" Spacing GPA @ 12 MPH	SPECIAL
TW HF140-08	White	.80	19.8	10.0	\$ 14.20
TW HF140-10	Blue	1.0	25.0	12.5	14.20
TW HF140-15	Green	1.5	37.0	18.5	14.20
TW HF140-20	Black	2.0	50.0	25.0	14.20
TW HF140-30	Tan	3.0	74.0	37.0	14.20
TW HF140-40	White	4.0	99.0	50.0	14.50
TW HF140-50	Purple	5.0	124	62.0	14.20
TW HF140-60	Yellow	6.0	149	75.0	14.30
*TW 65-VBS205 Viton © O-Ring					0.90

* Quantity discounts do not apply

"Jumbo" High Volume 5-Way Nozzle Turrets

For John Deere Sprayers with 1" Booms with 11/16" Diameter Boom Holes

These High Volume 5-Way Nozzle Turrets are designed as direct replacements for John Deere Sprayers with 1" Booms with 11/16" diameter boom holes. Easy Fit Connection for 1" pipe; includes stainless screw and nut. Standard with Viton® diaphragms. High volume - 6 GPM at 5 PSI pressure drop. Check valve closes at 12 PSI. 5 Nozzle lugs fit QuickJet 90° turn caps. Rated to 145 PSI.



Part No.	Description	SPECIAL
AG 51	Jumbo 5-Way Nozzle Turret for 1" Boom	\$ 53.50
AG 51-V	Replacement Viton® Diaphragm for Above...	5.00
AG 51-CV	Replacement 12 PSI Check Valve for Above	3.00

10% Quantity Discount on 50+ One Size

HYPRO® Hi-Flow Turret Nozzle Bodies for Wet or Dry Booms

Standard Equipment on Many Commercial Sprayers

Features:

- Three turret styles for an easy change of spray tips, single, 3-way & 5-way.
- Available in wet or 3/4" & 1" dry boom versions.
- Positive shutoff between each spray position.
- 2.6 GPM with a 5 PSI pressure drop through the nozzle.
- Can be used with all Quick Attach spray tips. Caps, Gaskets & tips not included.
- ProFlo nozzle bodies come standard with an 8 PSI EPDM check valve 4 PSI, 12 PSI & 20 PSI check valves are available.



Part No.	Nozzle Bodies for WET Booms	SPECIAL
TW 9950-0014	3 Nozzle Turret for 3/4" Wet Boom / EPDM.	\$ 18.80
TW 9950-0015	3 Nozzle Turret for 1" Wet Boom / EPDM....	18.80
TW 9950-0016	5 Nozzle Turret for 3/4" Wet Boom / EPDM.	18.80
TW 9950-0018	5 Nozzle Turret for 1" Wet Boom / Viton®....	18.80

10% Quantity Discount on 50+ One Size

Wilger 3-Hole Fertilizer Stream Nozzles (FS3)

Wilger Combo-Jet® 3-Hole Fertilizer Streamer Nozzles are designed for streaming liquid fertilizer on consistent spacing to minimize leaf burn. Color-coded for easy size and flowrate identification. These Wilger solid stream nozzles for fertilizer injection include a metering orifice and slide-in diffuser plate within a polypropylene, 3-hole streamer cap. Long-style orifices are standard on sizes 08 and up. Recommended operating pressure range of 10-60 PSI.



Part No.	Description	SPECIAL
WL 40443-015 thru 40443-20		\$ 8.40
WL 40250	50 Mesh Strainer	1.70
WL 40251	100 Mesh Strainer	1.70

10% Quantity Discount on 50+ Of One Size

Stainless Steel Solid Stream Nozzles and Flow Regulators for Fertilizer Injection



Solid Stream Nozzles are the best nozzle for injecting nitrogen fertilizer behind coulter or cultivation devices. They can be used at medium pressure shown or at much higher pressure if used with piston pumps. Select the cap style with separate body and cap if size changes will be frequent. The threaded style is correct for permanent installations.



Stainless Flow Regulators are usually mounted behind cultivator shanks for the subsurface application of liquid fertilizers and soil fumigants. They are also used for above-ground streaming applications.

Part No.	Description	SPECIAL
SS SS0001 thru SS0040	Stainless Steel	\$ 9.20
SS H1/4USS0002 thru H1/4USS0060	Stainless	12.10

Part No.	Stainless Steel Flow Regulator	Std. Pkg.	Std. Pkg. DISCOUNT	SPECIAL
SS 4916-18 thru 4916-140		100	10%	2.70





SPECIAL PRICES

SPRAYER & INJECTION PUMPS - PLANTER GAUGE WHEELS



HYPRO®
Cast Iron
Pumps



9306S

Hydraulic Drive Spray Pumps – Viton® or Silicon Carbide Seals

Part No.	Material	Size/Style	SPECIAL
HY 9303C-HM1	Cast Iron	1-1/2" x 1-1/4" FPT	\$1037.00
HY 9303C-HM4	Cast Iron	1-1/2" x 1-1/4" FPT	1037.00
HY 9306CHM1C	Cast Iron	2" x 1-1/2" FPT	1240.00
HY 9306CHM5C	Cast Iron	2" x 1-1/2" FPT	1203.00
* HY 9306CHM3CB	Cast Iron	2" x 1-1/2" FPT	1411.00
* HY 9306CHM5CB	Cast Iron	2" x 1-1/2" FPT	1309.00
* HY 9306SHM1C	Stainless	2" x 1-1/2" FPT	2211.00
* HY 9306SHM3C	Stainless	2" x 1-1/2" FPT	2279.00
* HY 9306SHM5C	Stainless	2" x 1-1/2" FPT	2211.00
* HY 9306S-HM1C-3U	Stainless	300 x 220 Flanged	2361.00
* HY 9306S-HM5C-3U	Stainless	300 x 220 Flanged	2360.00

* Severe Duty Sil-Carbide Seal - HY 9307 Series 3X2 Available -

ACE Hydraulic Drive Pumps



Cast Iron

— Other Models Available —



Part No.	SPECIAL
AC FMC-HYD-204.....	\$ 902.00
AC FMC150HYD206.....	926.00
AC FMC200HYD304.....	1089.00

Hydraulic Driven Cast Iron Pumps

– Pro 5 Series –

Feature Silicon Carbide or Oasis Wet Seals



Part No.	Description	SPECIAL
AC FMCSC125-206	Sil-Carb Seal Pump, 1-1/4" x 1" FPT, 110 GPM	\$ 962.00
AC FMCSC125-206PWM	Same as above with PWM	1715.00
AC FMCWS125-204	Wet Seal Pump, 1-1/4" x 1" FPT, 92 GPM	1263.00
AC FMCWS125-206	Wet Seal Pump, 1-1/4" x 1" FPT, 110 GPM	1188.00
AC FMCWS125-206PWM	Same as above with PWM	2079.00
AC FMCWS155F-206	Wet Seal Pump, 220 x 200 Flange, 145 GPM	1472.00
AC FMCWS155F-206PWM	Same as above with PWM	2106.00



PWM Control Systems

Pumps for use with PULSE WIDTH MODULATED Control. Provides quick rate changes for constant and variable rate applications with Closed Center Hydraulic Systems. Pumps run only as fast as needed. Twin valve design prevents overspeeding. Valox impeller standard, cast iron or stainless are optional.



Call for Other Options

Part No.	Description	Wt.	SPECIAL
AC 150F-PWM	Cast Iron Pump with 11 GPM Hydraulic Motor with PWM Valve. Inlet is Flanged 220FP & 1-1/2" FPT, Outlet is Flanged 200 Std. Port & 1-1/4" FPT. 155 GPM - 130 PSI. Severe Duty Silicon Carbide Seal..	38 lbs.	\$ 1866.00

Chemical Injection Metering Pumps

- Wide Flowrate Range
- Precise Application of Chemical & Fertilizer for



Replacement Parts In Stock!




SIMPLEX SINGLE PISTON UNITS

Part No.	GPH	Drive Design	SPECIAL
BU 20620	5-30	1/2 hp, 3 phase	\$ 1493.00
BU 21630	10-30	1/2 hp, 3 phase	1571.00

MP FLOMAX & JOHN BLUE PUMPS

Hydraulic Motor Drive Centrifugal Pumps



FLOMAX 15

Self-Priming
Cast Iron Construction
Viton® Ceramic Seals
Stainless Fasteners

HYDRAULIC PUMP/MOTOR UNITS COMPLETE

Part No.	Ports	GPM	Max. Oil flow	SPECIAL
MX 35272	FLOMAX 8 2"	140	8 GPM	\$ 1637.00
MX 28553	FLOMAX 15 3"	315	15 GPM	2405.00
BU SP3345-PH	JOHN BLUE * 3"	308	25 GPM	3004.00

* Double Seal Pump, Run Dry Capability.

Spoked Planter Gauge Wheels

For John Deere, Kinze & White Planters / Drill Seeders

These spoke depth wheels reduce downtime in the field while ensuring that you're planting at the correct depth you want. The gauge wheel's three-spoke design eases wheel buildup and allows soil and residue to naturally dislodge from the wheels while moving through the field. This reduction in buildup helps extend the life of your wheel rubber and bearings, enabling you to spend more time planting and less time dealing with repairs or maintenance.

Spoke planter gauge wheels have either cast or stamped steel hubs and feature a standard double-roller bearing for a smoother turning and more stable wheel at high speeds. These spoke gauge wheels are the perfect option for planting in wet or less-than-ideal soil conditions! Available in 3" & 4.5" sizes.

Spoke gauge wheels with a cast hub offer the added advantages of stronger, more durable wheels, larger spoke openings for better residue clearing, and a seamless rubber tire.



Stamped



Cast Hub

Part No.	Description	SPECIAL
DS 13-0080	Spoked Planter Gauge Wheel, 3" x 16", Stamped Hub	\$ 95.50
DS 13-0024	Spoked Planter Gauge Wheel, 4.5" x 16", Stamped Hub	107.00
DS 13-0081	Spoked Planter Gauge Wheel, 3" x 16", Cast Hub	170.00
DS 13-0025	Spoked Planter Gauge Wheel, 4.5" x 16", Cast Hub	170.00



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

• DAVENPORT, IA

(800) 553-6975



SPECIAL PRICES

TRANSFER & HYDRAULIC DRIVE PUMPS & ENGINES

MP, SCOT, HYPRO & BANJO Transfer Pumps

- Cast Iron • Self-Priming



MP FLOMAX 8
(DU MP25GH)

Scot


Part No.	Description	SPECIAL
TK 200PIH5	2" CI Pump, 5.5 HP Honda, Banjo Pump.....	\$ 937.00
DU MP25GH	2" 5 HP Honda, Flomax 8 Pump	967.00
DU FKG74AV55H	2" 5 HP Honda, Scot Pump	1025.00
TK 200PI6PRO	2" 6.5 HP Briggs, Banjo Pump.....	698.00
DU MP25GH-SS	2" 4.8 HP Honda, Flomax 8 Pump, S.S.....	3440.00
DU MP313GH	3" 13 HP Honda, Flomax 15 Pump.....	1870.00
**DU MP313GHE	3" 13 HP Honda Elect., Flomax 15 Pump..	2087.00
**DU MP313CRXE	3" 13 HP CRX Flowmax 15 Pump	1753.00
**HY 1533C-13ESP	3" CI Hypro Pump, 13 HP PowerPro Engine.....	1632.00
DU MP313CRX	3" 12 HYP CRX Flowmax 15 Pump Recoil.....	1492.00

** With Electric Start.

2" & 3" Self-Priming Poly Transfer Pumps

HYPRO, PACER & BANJO ENGINE DRIVEN PUMPS:

- Portable • LightWeight • Self-Priming • Corrosion-Resistant



HYPRO
HY 1542P-5SP

PACER

BANJO
TK 200PH-5



HYPRO® Motor Driven Units Also Available

Part No.	PUMP STYLE	Ports	Max. GPM	SPECIAL
HY 1542P-65SP	6.5 HP Hypro PowerPro	2" FPT	200	\$ 444.00
TK 200PH-5	5.5 HP Banjo/Honda	2" FPT	215	805.00
TK 300PH-6	6.5 HP Banjo/Honda	3" FPT	290	940.00
PR SE2UL-E5.5	5.5 HP Pacer/Briggs	2" FPT	150	384.00
* HY 1543P-130ESP	13 HP Hypro PowerPro	3" FPT	440	1343.00
TK M220PH6	2" 6.5 HP Poly Manifold Pump, Honda			814.00
TK M300PH13W**	13 HP Banjo/Honda	3" FPT	350	2051.00

* Electric Start. ** 12V Start, Double Wet Seal.


Double Wet Seal Poly Pump Pak

2" Features:

- 200 GPM Maximum Flow
- 5.5 HP Honda GX200

3" Features:

- 375 GPM Maximum Flow
- 13 HP Honda GX200



DU BU25GHSP-P

Part No.	Description	SPECIAL
DU BU25GHSP-P	2" Self Priming with 5.5 HP Honda GX200 Eng...	\$ 906.00
BU PSP3340-G13H	3" Self Priming with 13HP Honda 12 Start Eng...	2104.00



Self-Priming Poly 350 Centrifugal Pumps Gas Engine Models

- 13 HP Honda Engine, 12V Start (GX390)
- Tandem Wet Seal (EPDM)
- 3" Flanged Ports



M350PH13W

Part No.	Description	Flow @ 20 PSI	Max Flow	SPECIAL
TK M350PH13W	3" Poly Pump w/ 13 HP, Honda Engine, 12V Start	405 GPM	515	\$ 1726.00

* Max Flow with 4" Suction & Fittings

HYD and Electric Options Also Available




John Blue NGP

Ground Drive & Hydraulic Piston Pumps

Features:

- Rate Proportional to Speed.
- Unmatched Accuracy for Starter Fertilizer Placement, Regardless of Speed Changes!
- Use with Flow Dividers.
- Adjustable Rate Pumps Also Available.



Hydraulic Motor Shown is Sold Separately

Part No.	Max. GPM	Max. PSI	Port Size	SPECIAL
	@ 450 RPM			
BU NGP4055F	10.2	120	1" FPT / 2" SP Flange	\$ 1714.00
BU NGP4055HYF*	10.2	120	1" FPT / 2" SP Flanged	1047.00
BU NGP6055	21.0	120	1-1/2" FPT	1441.00
BU NGP6055HYF*	21.0	120	1-1/2" FPT / 2" SP Flanged	1057.00
BU NGP7055	34.2	120	1-1/2" FPT	1794.00
BU NGP7055HY*	34.2	120	1-1/2" FPT	1018.00
BU NGP7055HYF*	34.2	120	1" FPT / 2" SP Flange	1134.00
BU NGP8055	42.0	120	1" FPT	2625.00
BU NGP9055	68.4	120	1-1/2" FPT	2696.00
BU NGP9055HY*	68.4	120	1-1/2" FPT Less Motor	1891.00
BU 116205-91	Hydraulic Motor & PWM Valve for "HY" Pumps			1066.00

* Less hydraulic motor


Double Wet Seal Cast Iron Pump Pak

2" Features:

- 200 GPM Maximum Flow
- 5.5 HP Honda GX200

3" Features:

- 375 GPM Maximum Flow
- 13 HP Honda GX200



313GHE-HF
Cast Iron

Part No.	Description	SPECIAL
DU BU25GH	2" Self Priming with 5.5 HP Honda	\$ 1072.00
DU BU313GHE-HF	3" Self Priming with 13 HP Honda, Elec. Start Eng.....	2457.00
DU BU313CRXE-HF	3" Self Priming with 13 HP CRX, Elec. Start Eng.	2068.00





SPECIAL PRICES

SPRAYER / PLANTER VALVES & FIELD COMPUTERS

12 Volt Manifold Boom Valves



RAVEN
INDUSTRIES

FEATURES:

- Inlet 2" Standard Port Banjo Flange
- Outlet 3/4" FPT - Banjo 1" Flange Connection
- Rated at 40 GPM @ 5 PSI Pressure Drop
- 0.7 Second Close Time
- 175 PSI Maximum Working Pressure
- Wetted Parts are Polypropylene, Stainless Steel & Viton®

Part No.	Description	SPECIAL
RV 926	Single Section Manifold Boom Valve.....	\$ 377.00
RV 928	Three Section Manifold Boom Valve.....	1027.00

TeeJet Teejet 12V Electric Ball Valves



344BEC-24C
2-Way Valve

- .6 or 0.75 Second On-Off
- 1" FPT or Flange Ports, 3/4" Flow
- 32 or 100 GPM @ 5 PSI
- Wetted Parts: Nylon, Teflon, Polypropylene, and Viton®

Part No.	Ports	Valve Style	No. Ports	Flow Rate @ 5PSI	Response Time	SPECIAL
SS 344BEC-24C	1"	1 Valve, 2-Way	2	32 GPM	.75 Second	\$ 233.00
SS 356BEC-C	1" Flange	1 Valve, 2-Way	2	100 GPM	.6 Second	312.00
SS 344BEC-34C	1"	1 Valve, 3-Way	3	32 GPM	.6 Second	282.00
SS 453BEC24C	1" & Flange	3 Valve Assembly	3	32 GPM	.75 Second	730.00
SS 50515-22CP05	Motor Sub Assembly, 22 GPM					196.00
SS 50515-25CP05	Motor Sub Assembly, 25 GPM					196.00

— Other Valves Available —

MEVX Flanged 12 Volt Off/On & Regulating Ball Valves



BANJO
Liquid Handling Products

MEVX Flanged 12 Volt Off/On and Regulating Ball Valves. The 101, 201 and 221 Off/On Valves are bolted drop in version and can be used as replacements where size is critical in existing applications. The regulating valves are the new welded version and will not be an exact replacement. Flanged ends.

Part No.	Description	Flange Size	Time Sec.	Ball PSI	Ball ID	Wt.	SPECIAL
TK MEVX100	Welded Off/On Valve	1"	3/4	300	1"	5 lbs.	\$ 362.00
TK MEVX101	* Off/On Valve	1"	3/4	300	1"	5 lbs.	356.00
TK MEVX200	Welded SP Off/On Valve	2"	1-1/2	300	1-1/2"	5 lbs.	517.00
TK MEVX201	* SP Off/On Valve	2"	1-1/2	300	1-1/2"	5 lbs.	517.00
TK MEVX220	Welded FP Off/On Valve	2" FP	1-1/2	250	2"	5 lbs.	545.00
TK MEVX221	* FP Off/On Valve	2" FP	1-1/2	250	2"	5 lbs.	541.00
TK MEVX300	Welded Off/On Valve	3"	4	150	3"	9 lbs.	985.00
TK MEVXR100	Regulating Valve	1"	4	300	3"	5 lbs.	372.00
TK MEVXR200	SP Reg. Valve	2"	4	300	1-1/2"	5 lbs.	532.00
TK MEVXR220	FP Reg. Valve	2" FP	4	250	2"	5 lbs.	535.00

* Bolted Drop In Version.

SprayMate II™ & SprayMate Plus™ Automatic Rate Controllers

Features:

- All-In-One Design with Built-In Controls for Up to (3) Separate Boom Sections
- On-The-Go Rate Adjustment for a Multitude of Rates
- On/Off Power Switch & Master Switch

SprayMate Plus™ Controllers Only:

- Flow- or Pressure-based Control
- Expanded PWM Control Compatibility
- Unique Multifunction Outputs to Control On/Off Valves for Master, Relief, Flow Trigger, or Flush Functions



MICRO-TRAK
ADVANCED PUMP TECHNOLOGY

Part No.	Description	SPECIAL
MT 01341	SprayMate II™ Controller with Harness	\$ 896.00
MT 01171	SprayMate II™ Controller with 3/4" Poly Flowmeter and 1" Regulating Valve (2-40 GPM)	1714.00
MT 01196	SprayMate II™ Kit with 12 Volt Pump Control: Includes SprayMate II™ Controller, 3/4" Poly Flowmeter (0.5 - 12 GPM), 20' Cable Harness & 12V Pump Driver (40 amp)	1928.00
MT 01349	SprayMate Plus™ Controller with Harness.....	1243.00
MT 01866	SprayMate Plus™ Controller with 3/4" Poly Flowmeter & 1" Regulating Valve (2-40 GPM)	2002.00

TeeJet Matrix™ 430 Guidance System



The **TeeJet Matrix® 430** is an easy-to-use, low-cost, graphical GPS guidance system ideal for acreages and small farms looking to upgrade technology from foam markers and lightbars. Compact size allows mounting in front of steering wheel for easy viewing during operation. The full-color, 4.3" touchscreen display enables the operator to efficiently navigate fields with minimal skips and overlaps in coverage. Minimal setup required before operating. Includes a simple user interface allowing operators to easily switch between guidance modes, set overlap alarms and mark field hazards, and create field job reports.

Part No.	Description	SPECIAL
SS GD430-PL	Matrix 430 Guidance System (Cigarette Lighter Lead & Patch Antenna)	\$ 1762.00
SS GD430-R30-L	Matrix 430 Guidance System (Cigarette Lighter Lead & RXA30 Antenna)	2216.00

TeeJet Matrix™ 908 Field Computer

- Simultaneous Guidance & Coverage Mapping
- Manages up to 100 individual boom sections
- Bright, high-resolution 8-inch color touchscreen display with split screen mode for easy viewing and navigation
- Integrated GNSS receiver & external antenna can be updated without any hardware changes
- Expandable & upgradable platform that can adapt to your future needs



Part No.	Description	SPECIAL
SS 90806	Matrix 908 NAV Guidance/Mapping System (Console, RXA-52 Antenna & Cables).....	\$ 3085.00
SS 90811	Matrix 908 ISO Guidance/Map/Application Control System (Console, RXA-52 Antenna & Cables) ...	3003.00





SPECIAL PRICES

STRAINERS - PIPE FITTINGS - CAMLOCK FITTINGS - TUBING



"Y" Line Strainers Threaded



3"

- Polypropylene
- EPDM Gaskets
- 75 PSI on 1/2" - 1-1/4"
- 150 PSI on 1-1/2" - 2"
- 50 PSI on 3"
- "T" Models Also Available



3/4"
THRU
2"

Part No.	Ports	Screen	SPECIAL
TK LS075-40	3/4" FPT	40-Mesh	\$ 31.25
TK LS075-80	3/4" FPT	80-Mesh	35.00
TK LS100-40	1" FPT	40-Mesh	30.50
TK LS125-40	1-1/4" FPT	40-Mesh	35.00
TK LS150-20	1-1/2" FPT	20-Mesh	96.50
TK LS200-20	2" FPT	20-Mesh	113.00
TK LSM300BC	3" FPT	* None	347.00
TK LSQ150-50	1-1/2" FPT	50-Mesh	96.50
TK LSQ200-20	2" FPT	20-Mesh	113.00

* Stainless Steel screens available in the following sizes: 4, 8, 12, 20, and 50. 3" for suction side use only.



3350-44N
Nylon



122 & 124A
Polypropylene
1/2", 3/4" & 1"

Line Strainers TeeJet HYPRO®

Part No.	Ports	Bowl	Screen	SPECIAL
HY 3350-44N	3/4" FPT	White	50-Mesh	\$ 19.00
HY 3350-44P	3/4" FPT	Clear	50-Mesh	24.50
HY 3350-45N	3/4" FPT	White	80-Mesh	19.00
HY 3350-45P	3/4" FPT	Clear	80-Mesh	23.30
HY 3350-61N	1" FPT	White	50-Mesh	33.25
HY 3350-61P	1" FPT	Clear	40-Mesh	39.75
HY 3350-75N	1-1/4" FPT	White	40-Mesh	34.50
HY 3350-75P	1-1/4" FPT	Clear	40-Mesh	41.25
HY 3350-116N	1-1/2" FPT	White	50-Mesh	46.25
HY 3350-116P	1-1/2" FPT	Clear	50-Mesh	52.00

Part No.	Size	Mesh	SPECIAL
SS 122-1/2PP	1/2" Strainer, Poly Head & Bowl	50	\$ 14.60
SS 122-3/4PP	3/4" Strainer, Poly Head & Bowl	50	14.20

Super Speedfit® Tube Fittings



Black Polypropylene
Also Available!



Assorted in Std Pkgs:
15% DISCOUNT on 10
20% DISCOUNT on 100
30% DISCOUNT on 1,000

John Guest Poly Tubing Variety of Colors Available

Polyethylene Tubing from John Guest. The same quality you have come to know and expect in their Tube Fittings. (See Tube Fittings on Our Website.)



Polypropylene Threaded Pipe & Flange Fittings

Less 10% on
10 (Std. Pack)



900



908



PHB

Thousands In Stock!!



Elbow



Clamp



Gasket



Coupling



Cam Lever Couplings Polypropylene & Nyglas (Yellow) - All Types & Sizes Through 4" In Stock - 3/4" • 1-1/2" • 2" • 3" • 4"



Less 5% on 10 of One Size

Stainless & Aluminum
Through 6" Also
Available



Polypropylene BALL VALVES

Stainless Bolts • Teflon Seats
• Viton® Stem Seals



Ball
Valve



Union
Valve
(EPDM Seal)

Part No.	Size	Pkg. Ball Qty.	SPECIAL
TK V150	1-1/2" Valve	24	\$ 46.00
TK V200	2" Valve	24	46.00
TK V200FP	2" Valve	8	62.00
TK V204FP	2" Valve	8	59.50
TK V300	3" Valve	8	99.00
TK V300FP	3" Valve	6	148.00
TK VA150	1-1/2" Nozzle	12	54.50
TK VA200	2" Nozzle	12	54.50
TK VA200FP	2" Nozzle	6	81.00
TK UV050FP	1/2" Union	24	15.80
TK UV075FP	3/4" Union	24	15.80
TK UV100FP	1" Union	24	19.50
TK UV125FP	1-1/4" Union	24	40.25
TK UV150FP	1-1/2" Union	24	39.75
TK UV200FP	2" Union	18	42.00

*Less 5% On
Pkg. Quantities



Nozzle
Valve

Black Poly Tubing

Part No.	Type	O.D.	I.D.	Max. PSI @ 70° F.	Color	SPECIAL
FC UP44-100B	Poly	1/4"	.170"	150 PSI	Black	\$ 10.50
FC UP44-1000B	* Poly	1/4"	.170"	150 PSI	Black	97.00
FC UP66-100B	Poly	3/8"	.250"	150 PSI	Black	21.60

* 1000' Coil



SPECIAL PRICES

FLANGED BANJO VALVES & STRAINERS - METERS



Flange x Flange Ball Valves



Part No.	Size	SPECIAL
TK MV100CF	1" Full Port	\$ 35.75
TK MV200CF	2" Std. Port	48.50
TK MV220CF	2" Full Port	65.00
TK MV300CF	3" Full Port	156.00
TK MV300	3" Std. Port	106.00
TK MVS220CF	2" Full Port "Stubby"	60.50
TK MVS300CF	3" Std. Port "Stubby"	119.00
TK MVS300CFPP	3" Full Port "Stubby"	150.00

Flange x Male Adapter Valves "Stubby"



Part No.	Description	SPECIAL
TK VSF200CF	2" Flange x 2" Male Adapter	\$ 49.50
TK MVSF220FP	2" FP Flange x 2" Male Adapter ...	60.50
TK MVSF300	3" Flange x 3" Male Adapter	119.00
TK MVSF300FP	3" FP Flange x 3" Male Adapter ...	152.00



Flange x MPT Ball Valves "Stubby"



Part No.	Description	SPECIAL
TK VSMT200CF	2" Flange x 2" MPT Male Thread Std. Ball Valve	\$ 58.50
TK MVSMT300	3" Flange x 3" MPT Male Thread Std. Ball Valve	161.00

3-Way Bottom Load Manifold Poly Valves

Directional Flow, Right or Left • 100 PSI
• Valve Can Be Turned Off to Stop Flow • All Flanged Ports



Part No.	Description	Thru Ball	Handle Type	SPECIAL
TK MV100BL	1" Flanges	1"	T	\$ 55.50
TK MV200BL	2" Std. Port Flanges ..	1-1/2"	T	65.00
TK MV220BL	2" Full Port Flanges ..	2"	Straight	92.50
TK MV300BL	3" Full Port Flanges ..	3"	Straight	244.00



3-Way Side Load Manifold Poly Valves

Directional Flow, Right or Left • 100 PSI • All Flanged Ports
Valve Cannot Be Turned Off to Stop Flow

Part No.	Description	Thru Ball	Handle Type	SPECIAL
TK MV100SL	1" Flanges	1"	T	\$ 57.00
TK MV200SL	2" Std. Port Flanges ..	1-1/2"	Straight	72.50
TK MV220SL	2" Full Port Flanges ..	2"	Straight	92.50

Flanged "T" Strainers

EPDM Gaskets • 150 PSI • Stainless Screens



Part No.	Description	SPECIAL
TK MLST100-50	50 Mesh 1" Strainer	\$ 40.25
TK MLST150-50	50 Mesh 2" Strainer	67.50
TK LST130	30 Mesh Replacement Screen for 1"	22.00
TK LST150	50 Mesh Replacement Screen for 1"	19.80
TK LST180	80 Mesh Replacement Screen for 1"	20.30
TK LST1530	30 Mesh Replacement Screen for 2"	34.25
TK LST1550	50 Mesh Replacement Screen for 2"	33.50
TK LST1580	80 Mesh Replacement Screen for 2"	34.25

16 & 100 Mesh also available.


2" Flanged "Y" Strainers

2" Standard Port • EPDM Gaskets • 150 PSI W.P. • Stainless Screens



Part No.	Description	SPECIAL
TK MLS200-50	50 Mesh 2" Strainer Std. Port	\$ 83.00
TK LS220	20 Mesh Replacement Screen for 2"	45.25
TK LS250	50 Mesh Replacement Screen for 2"	44.25
TK LS280	80 Mesh Replacement Screen for 2"	45.25

2" Screens Also Available in 6, 12, 30, 100 & 120 Mesh.



Flanged "Y" Strainers 2" & 3" Full Port



• EPDM Gaskets • 75 PSI W.P. • 304 Stainless Screens

Part No.	Description	SPECIAL
TK MLS222-50	* 2" Full Port Flanged "Y" Strainer with 50 Mesh Screen	\$ 114.00
TK MLS300-20	** 3" Full Port Flanged "Y" Strainer with 20 Mesh Screen	414.00
TK LST210SS	10 Mesh Stainless Screen, 2", FP ...	71.00
TK LST216SS	16 Mesh Stainless Screen, 2", FP ...	71.00
TK LST230SS	30 Mesh Stainless Screen, 2", FP ...	62.00
TK LST250SS	50 Mesh Stainless Screen, 2", FP ...	62.00
TK LST280SS	80 Mesh Stainless Screen, 2", FP ...	71.00

* 2" FP Screens Also Available in 4, 8, & 100 Mesh.
** For Other 3" Screens Order: LS304, LS308, LS312, LS320, LS350.



Mag Meters



Designed to accurately meter liquids such as fertilizer, water, wastewater, deicing liquids and other liquids which are electrically conductive. No moving parts means less chance of damage than other styles of meter. Use with conducting liquids only. Not for Fuels.

Features: Simple & easy to use • Factory preset calibration requires no adjustment • Batch total and flow rate. Shuts down after idle for 12 minutes. • Digital readout is designed for outdoor use • Temperature range is 0° to 150° F. • Operates on six AA batteries • Off/On shutdown after 12 minutes • Warranty is 1 Year on electronics • All meter sizes hold +/-1% accuracy.

Part No.	GPM	SPECIAL
TK MFM100	1" Flanged Mag Meter	2 - 110 \$ 783.00
TK MFM220	2" FP Flanged Mag Meter ...	6 - 300 876.00
TK MFM300	3" Flanged Mag Meter	14 - 670 1095.00





SPECIAL PRICES

SUCTION - DISCHARGE - SEEDER HOSE



Kanaflex® EPDM Suction Hose

Abrasion Resistant Cover



Part No.	I.D.	Std. Pkg.	Working Press. PSI	SPECIAL Per Foot
KA 390SD-1-1/4	1-1/4"	100'	100	\$ 4.30
KA 390SD-1-1/2	1-1/2"	100'	100	5.20
KA 390SD-2	2"	100'	100	6.60
KA 390SD-3	3"	100'	100	11.50
* TF TSD400	4"	100'	100	24.30

* 25% Discount for Std. Package

* Kuriyama

– Heavy Duty Flexible –

EPDM Rubber Suction / Discharge Hose



Kuriyama

Heavy Duty Water Suction/Discharge Hose for agricultural, construction, and industrial applications. Black EPDM cover and tube designed to handle a variety of liquids including fertilizers and others. Wire helix reinforcement. **Maximum Working Pressure is 150PSI. Temperature Rating: -40°F to 212°F.** Not designed for applications involving acid-based chemicals or alcohols. **Cut Lengths Sold in 5' Increments Only.**

Part No.	I.D.	O.D.	* Std. Pkg.	** Working Pressure	Bend Radius (in @ 68°F)	Vacuum Rating (inHG)	Per Foot SPECIAL
TF T202-1	1"	1.38"	100'	150 PSI	4"	30"	\$ 5.10
TF T202-1-1/4	1-1/4"	1.65"	100'	150 PSI	5"	30"	5.70
TF T202-1-1/2	1-1/2"	1.89"	100'	150 PSI	6"	30"	5.90
TF T202-2	2"	2.40"	100'	150 PSI	8"	30"	6.30
TF T202-3	3"	3.46"	100'	150 PSI	10"	30"	9.90
TF T202-4	4"	4.49"	100'	150 PSI	12"	27"	14.20
TF T202-6	6"	6.54"	100'	150 PSI	30"	24"	27.25
TF T202-8*	8"	8.70"	20'	150 PSI	40"	21"	32.00

* Can be bought in 20' or 25' lengths from factory. No discounts available.
** Additional Sizes Available - Call for Details

25% Discount for Standard Package

Kanaflex® Air Seeder Hose

Flexible Polyurethane Lined PVC Hose for air seeders, abrasive material vacuum systems and industrial vac equipment. Smooth bore, PVC corrugated OD. Lightweight and flexible in cold temperatures to -13° F. Clear with orange or black helix. The urethane lined tube provides abrasion-resistance, visual check of material flow and prevents material build up. Banding coils and CW spiral clamps are available for end connections.



Part No.	Color	I.D.	O.D.	Wt. Lbs.	Std. Pkg.	SPECIAL Per Roll
KA 100UCLRD-2	Red	2"	2.36"	0.50	100	\$ 4.20
KA 100UCLRD-212	Red	2-1/2"	2.87"	0.71	100	5.70
KA 100UCLRD-3	Red	3"	3.50"	1.00	100	8.60
KA 100UCLBK-212	Black	2-1/2"	2.87"	0.71	100	5.70

No Cut Lengths - Full Reels Only

Kanaflex® Kanaline SR Heavy Duty Suction Hose



Part No.	I.D.	* Std. Pkg.	Working Pressure	SPECIAL Per Ft.
KA KLSR-2	2"	100'	100 PSI	\$ 7.30
KA KLSR-3	3"	100'	100 PSI	8.80
KA KLSR-4	4"	100'	75 PSI	12.90
KA KLSR-6	6"	60'	70 PSI	27.75
KA KLSR-8	8"	60'	60 PSI	35.25

SPECIAL 25% Discount On Complete Roll

tigerflex® Suction & Discharge Hose

Flexible EPDM Rubber Hose with green or yellow polyethylene helix combines chemical resistance with durability. Excellent cold weather flexibility. Weather resistant exterior. Lightweight and easy-to-handle. Abrasion resistant design slides easily on rough surfaces. Rated from -40 to 160° F. Full vacuum rating to 4" size at 68° F. Sold in rolls, cut to length and fitted assemblies. Red & Blue also available.



Series TG / 300G Green



Series TY / 300Y Yellow

- Septic Handling
- Liquid Waste, Slurries
- Liquid & Dry Chemical
- Agriculture Liquid & Dry Fertilizers
- Grains & Seeds
- Water Transfer
- Mining
- Construction, Rental Equipment, Sewer Cleaning, Plant Maintenance

NOTE: CUT LENGTHS SOLD IN 5' INCREMENTS ONLY

Part No.	I.D.	O.D.	Color	PSI @ 68° F.	Wt./Lbs. Per Foot	SPECIAL Per Foot
TF TG100	1"	1.40"	Green	65	.28	\$ 2.80
TF TG125	1-1/4"	1.63"	Green	60	.33	3.20
TF TG150	1-1/2"	1.93"	Green	50	.44	3.40
TF TG200	2"	2.51"	Green	50	.67	5.00
TF TG250	2-1/2"	3.07"	Green	45	.95	8.30
TF TG300	3"	3.60"	Green	45	1.14	9.70
TF TG400	4"	4.70"	Green	40	1.84	15.80
TF TG600	6"	6.85"	Green	30	3.70	32.50
TF TY100	1"	1.40"	Yellow	65	.28	2.90
TF TY125	1-1/4"	1.63"	Yellow	60	.33	3.50
TF TY150	1-1/2"	1.93"	Yellow	50	.44	3.70
TF TY200	2"	2.51"	Yellow	50	.67	5.30
TF TY300	3"	3.60"	Yellow	45	1.14	10.10
TF TY400	4"	4.70"	Yellow	40	1.84	12.70
TF TB200	2"	2.51"	Blue	50	.67	5.50
TF TB300	3"	3.60"	Blue	45	1.14	10.80
TF TB400	4"	4.70"	Blue	40	1.84	16.90

*25% Discount if Ordered in 100' Rolls

PVC Suction • Methane • Discharge Hose



125PVC is a general purpose PVC suction and discharge hoses for water and fertilizers. (PVC is not suitable for some agricultural chemicals - must use EPDM). 101PS-UVOR Orange hose with extra UV inhibitor for methane gas recovery at landfills. Available in 3 sizes with internal ID to mate with OD of rigid pipe. Full vacuum rating to 4" at 72° F. **Temperature Range: -13°F to +158°F.** This hose becomes stiff at low ambient temperatures.

125PVC Clear with White Helix for Water/Fertilizers

101PS-UVOR Orange with UV Inhibitor for Methane Gas

NOTE: CUT LENGTHS SOLD IN 5' INCREMENTS ONLY

25% Discount On Standard Pkgs.

Part No.	I.D.	O.D.	PSI @ 68° F.	Std. Pkg.	Wt/C	SPECIAL Per Foot
TF 125PVC-3/4	3/4"	.95"	100	100'	18	\$ 1.30
TF 125PVC-1	1"	1.25"	75	100'	24	1.70
TF 125PVC-1-1/4	1-1/4"	1.47"	75	100'	31	1.80
TF 125PVC-1-1/2	1-1/2"	1.75"	65	100'	38	1.90
TF 125PVC-2	2"	2.27"	60	100'	56	2.70
TF 125PVC-2-1/2	2-1/2"	2.84"	60	100'	67	3.30
TF 125PVC-3	3"	3.35"	60	100'	99	4.60
TF 125PVC-4	4"	4.45"	50	100'	146	8.20
TF 125PVC-5	5"	5.55"	35	50'	240	13.90
TF 125PVC-6	6"	6.67"	35	100'	284	14.00

* 100 ft. Package Only - No Cuts.

Less than Reel Quantities Sold in 5' Increments





SPECIAL PRICES

SPRAYER HOSE - CHEMICAL HOSE & TUBING

Black EPDM Sprayer Hose

2-Spiral (1 Braid) - 150 PSI & (2 Braid) - 200 PSI

Part No.	Size	W.P. PSI	*Std. Pkg.	Special Price Per Ft.
GA 3204EB-3/8	3/8"	200	400'	\$ 1.10

SPECIAL
25%
Discount
On
Complete
Roll

SPECIAL
25%
Discount
On
Complete
Roll




Part No.	Size	W.P. PSI	*Std. Pkg.	Special Price Per Ft.
GA 3204EB-1/2	1/2"	200	250'	\$ 1.00
GA 3204EB-3/4X200	3/4"	200	200'	1.70
GA 3204EB-1	1"	200	125'	1.80

SPECIAL
25%
Discount
On
Complete
Roll

SPECIAL
25%
Discount
On
Complete
Roll

* Standard Packages Here Can Ship UPS



EPDM "Adapta-Flex" Agricultural SPRAY HOSE

2-Braid • 200 - 250 PSI



Part No.	SIZE	Color	Working Pressure PSI	Approx. Std. Pkg.	Special Price Per Ft.
GA 1B-3/8X2	3/8"	Red	250	400'	\$ 1.70
GA 1B-5/8X2	5/8"	Red	250	250'	2.40
GA 1B-1-1/4X2	1-1/4"	Black	250	200'	5.70
GA 1B-1-1/2X2	1-1/2"	Black	200	200'	8.00
GA 6B-2	2"	Red	200	100'	9.00

SPECIAL
25%
Discount
On
Complete
Roll

SPECIAL
25%
Discount
On
Complete
Roll

Part No.	SIZE	Color	Working Pressure PSI	Approx. Std. Pkg.	Special Price Per Ft.
GA 1B-1/2X2	1/2"	Red	250	250'	\$ 1.50
GA 1B-3/4X2	3/4"	Red	250	200'	2.20
GA 1B-1X2	1"	Red	200	125'	3.50

SPECIAL
25%
Discount
On
Complete
Roll

SPECIAL
25%
Discount
On
Complete
Roll



EVA Applicator Tubing

Translucent & Black

Part No.	I.D.	Reel Length	Wt.	Color	Special Price Per Reel
GD V1160-1/4	1/4"	100'	4 lbs.	Clear	\$ 33.75
GD V1160-1/4X500	1/4"	500'	17 lbs.	Clear	225.00
GD V1160-3/8	3/8"	500'	26 lbs.	Clear	201.00
GD VB1170-3/8	* 3/8"	500'	26 lbs.	Black	204.00
GD V100X3/8	3/8"	100'	9 lbs.	Clear	63.00
GD V1160-1/2X500	1/2"	500'	30 lbs.	Clear	245.00
GD VB1170-1/2X500	* 1/2"	500'	30 lbs.	Black	245.00
GD V100X1/2	1/2"	100'	11 lbs.	Clear	75.50
GD V1160-3/4X250	3/4"	250'	30 lbs.	Clear	277.00
GD V1160-1	1"	100'	30 lbs.	Clear	147.00

* Black Tubing. NOTE: EVA tubing is priced and sold in full reels only. 3/8" & 1/2" are available in 100' Packages. Working pressure @ 70°F = 75 PSI thru 1/2", 60 PSI 3/4"-1"

Braided EVA Tubing

EVAB x 1-Braid

Reinforced EVA Tubing is designed to transport a variety of chemicals and liquids. Translucent for easy view of flows. Higher working pressure than unbraided tubing.



* 25% Discount for Standard Package.

Part No.	I.D.	O.D.	Max Psi @ 70° F.	*Std. Pkg.	Special Price Per Foot
TF EVAB14	1/4"	.460"	250 PSI	300'	\$ 0.65
TF EVAB38	3/8"	.594"	250 PSI	300'	0.75
TF EVAB50	1/2"	.720"	250 PSI	300'	1.05
TF EVAB75	3/4"	1.00"	150 PSI	200'	1.55
TF EVAB100	1"	1.312"	150 PSI	200'	2.60

Clear Vinyl Tubing




Clear Vinyl Tubing is flexible, lightweight and transparent. Provides full flow viewing. Construction is Polyvinyl Chloride (PVC). Ideal for handling a wide variety of liquids. Excellent resistance to many types of acids, detergents and alkalis. Formulated to comply with FDA and RoHS requirements. Rated from +25° to 150° F. **Sold in rolls only, no cut lengths.**

Part No.	I.D.	O.D.	Wall	Max. PSI @ 70° F	Roll Size	Special Price Per Roll
TF 1A	1/8"	1/4"	1/16"	65	100'	\$ 10.60
TF 1	1/4"	3/8"	1/16"	50	100'	15.30
TF 1X500	1/4"	3/8"	1/16"	50	500'	72.00
TF 2	3/8"	1/2"	1/16"	40	100'	22.00
TF 2X500	3/8"	1/2"	1/16"	40	500'	130.00
TF 2A	3/8"	9/16"	3/32"	50	100'	35.50
TF 4A	1/2"	5/8"	1/16"	25	100'	27.00
TF 4	1/2"	3/4"	1/8"	45	100'	54.50
TF 6	5/8"	13/16"	3/32"	30	100'	49.00
TF 5	5/8"	7/8"	1/8"	40	100'	65.00
TF 7	3/4"	1"	1/8"	35	100'	72.00
TF 9	1"	1-1/4"	1/8"	25	100'	91.00
TF 11	1-1/4"	1-1/2"	1/8"	20	50'	66.50
TF 13	1-1/2"	1-3/4"	1/8"	16	50'	87.00
TF 13A	1-1/2"	2"	1/4"	35	50'	151.00
TF 15	2"	2-1/2"	1/4"	30	50'	194.00

Series 2425 X-Link Chemical Hose

Applications: Cross-link chemical hose solves most chemical handling problems. The tube compound is resistant to 90% of chemicals, solvents and petroleum products used in industry. The heavy wall resists kinking and crushing for extra safety. Refer to the chemical guide to determine compatibility with chemicals and applications. Rated to 150 PSI.



25% Discount for Standard Package.

Tube: Cross-linked polyethylene Cover: Smooth Green EPDM
Reinforcement: Multiple textile plies with dual wire helix

Other Assemblies Available!

Part No.	I.D.	O.D.	Bend	Working Pressure	Wt./ Ft. (Lbs./Ft.)	Special Price Per Foot
GP 2425-3/4	3/4"	1.26"	4.0	200 PSI	.50	\$ 8.80
GP 2425-1	1"	1.50"	5.0	200 PSI	.55	11.90
GP 2425-1-1/4	1-1/4"	1.77"	6.5	200 PSI	.75	15.30
GP 2425-1-1/2	1-1/2"	2.01"	8.0	200 PSI	.89	16.40
GP 2425-2	2"	2.56"	10.0	150 PSI	1.18	19.00
GP 2425-2X20	2" x 20'	Hose Assembly w/ 316SS Male x Female Ends				594.00

Series 2410 UHMWPE Chemical Hose

Applications: This clear high molecular weight (UHMW) polyethylene tube will handle 98% of the most common chemical without leaching and contaminating the product being conveyed. Refer to the chemical guide to determine compatibility with chemicals and applications. Rated to 200 PSI.



Tube: Opaque ultra-high molecular weight polyethylene
Cover: Corrugated Blue EPDM

Temp Rating: -40° F to 212° F

Reinforcement: Multiple textile plies with dual wire helix.
Specified length is overall assembly length.

Part No.	I.D.	O.D.	Bend	Working Pressure	Wt./ Ft. (Lbs./Ft.)	Std. Pkg. of 100' Discount	Special Price Per Foot
GP 2410-3/4	3/4"	1.22"	3.5	200 PSI	.42	-	\$ 10.30
GP 2410-1	1"	1.46"	4.0	200 PSI	.48	25%	14.60
GP 2410-1-1/4	1-1/4"	1.77"	4.0	200 PSI	.71	25%	16.80
GP 2410-1-1/2	1-1/2"	2.01"	5.0	200 PSI	.81	25%	16.90
GP 2410-2	2"	2.56"	6.0	200 PSI	1.17	25%	21.30
GP 2410-3	3"	3.62"	9.0	150 PSI	2.01	25%	32.50
GP 2410-2X20	2" X 20'	Hose Assembly with 316SS Male x Female Ends.....					549.00



SPECIAL PRICES

CLAMPS - SAFETY GOGGLES - GLOVES

Stainless Steel Hose Clamps

Stainless Band, Housing & Drive Screw

350 Series has 5/16" wide Band • 620 Series has 1/2" wide Band

Part No.	Clamp Range Inches O.D.	Fits Hose I.D.	SPECIAL Per Box
MP 350-4	7/32 to 5/8	1/4 & 3/8"	\$ 15.70
MP 350-5	3/8 to 3/4	1/4 & 3/8"	15.70
MP 350-6	3/8 to 7/8	3/8 & 1/2"	15.70
MP 620-8	1/2 to 1	3/8 & 1/2"	15.60
MP 620-12	5/8 to 1-1/4	5/8 & 3/4"	15.90
MP 620-16	11/16 to 1-1/2	3/4 & 7/8"	17.50
MP 620-20	3/4 to 1-3/4	3/4 & 1"	18.90
MP 620-28	1-1/4 to 2-1/4	1-1/4 & 1-1/2"	16.50
MP 620-36	1-3/4 to 2-3/4	2"	19.40
MP 620-56	3 to 4	3"	26.25
MP 620-72	3 to 5	3" to 4.5"	31.25



SPECIAL
10% Discount on
20 Boxes
One Size

- 10 Clamps Per Box -



Stainless T-Bolt Clamps

With Floating Bridge

Can be torqued 3-4 times that of a worm drive clamp. 150 in/lbs. maximum torque at screws. 3/4" Smooth stainless Steel band, bolt & housing. **Note: "Ideal Brand" - Check hose O.D. and note Clamp I.D. range before ordering.** Best clamp selection on hard wall hoses in larger sizes where bandit or fastlok banding is not available.

Part No.	Hose I.D.	I.D. Range	Std. Pkg.	Per Clamp SPECIAL
TK TC138	1-1/4"	1.38" to 1.52"	10	\$ 9.70
TK TC163	1-1/4"	1.63" to 1.81"	10	9.30
TK TC175	1-1/2"	1.75" to 2.00"	10	9.90
TK TC188	1-1/2"	1.88" to 2.19"	10	12.30
TK TC194	1-1/2"	1.94" to 2.25"	10	9.90
TK TC219	2"	2.19" to 2.50"	10	10.10
TK TC231	2"	2.31" to 2.63"	10	10.20
TK TC244	2"	2.44" to 2.75"	10	10.30
TK TC250	2"	2.50" to 2.81"	10	12.60
TK TC288	2"	2.88" to 3.19"	10	10.60
TK TC325	3"	3.25" to 3.56"	10	10.90
TK TC331	3"	3.31" to 3.63"	10	10.50
TK TC338	3"	3.38" to 3.69"	10	10.30
TK TC350	3"	3.50" to 3.81"	10	11.70
TK TC400	4"	4.00" to 4.31"	10	13.40
TK TC419	4"	4.19" to 4.50"	10	9.70
TK TC425	4"	4.25" to 4.56"	10	14.20
TK TC438	4"	4.38" to 4.69"	10	11.10
TK TC450	4"	4.50" to 4.81"	10	13.10
TK TC525	5"	5.25" to 5.56"	10	11.10
TK TC575	5"	5.75" to 6.06"	10	14.40
TK TC625	6"	6.25" to 6.56"	10	14.70
TK TC650	6"	6.50" to 6.81"	10	14.70
TK TC850	8"	8.50" to 8.81"	10	15.70

Quantity Discount:
10% on Packages of 10. 20% on Packages of 100 - One Size

High Torque Stainless Clamps

- Will handle 150 in. lbs. of torque at the screw
- Good choice for dampening vibration
- Wider Range than T-Bolt clamps
- 410 Stainless screw with 5/16" Hex Head
- Utilizes 304 stainless steel 5/8" wide band
- Stainless liner under band notches to protect soft surfaces
- Large Heavy duty 304 stainless housing for maximum clamp efficiency



Part No.	Size: Clamp I.D. or Hose O.D.	Hose Size I.D.	Std. Pkg.	Std. Pkg. Discount	SPECIAL
MP 843-200	1.25" to 2.12"	1-1/4" - 1-1/2"	10	10%	\$ 6.80
MP 843-250	1.75" to 2.62"	2"	10	10%	6.80
MP 843-300	2.25" to 3.12"	2"	10	10%	7.50
MP 843-350	2.75" to 3.62"	3"	10	10%	7.90
MP 843-400	3.25" to 4.12"	3"	10	10%	8.10
MP 843-450	3.75" to 4.62"	4"	10	10%	8.30
MP 843-500	4.25" to 5.12"	4"	10	10%	8.70
MP 843-700	6.25" to 7.12"	6"	10	10%	10.40

Quantity Discount: 10% on Packages of 10. 20% on Packages of 100. - One Size

SmartSeal™ Clamps

Helps to Stop Leakage From Thermal Changes

SmartSeal™ Clamps were designed in response to the leakage attributed to thermal changes and to meet today's challenging lighter weight and space requirements.

SmartSeal™ Clamps are engineered to last longer, and perform better than traditional clamps in the most demanding environments.



SPECIAL
10% Discount on
10 One Size

Part No.	Band Width	Min. Inches	Max. Inches	Std. Pkg.	SPECIAL
MP 0238	5/8"	1.64"	2.12"	10	\$ 4.80
MP 0262	5/8"	1.90"	2.38"	10	4.80
MP 0275	5/8"	2.03"	2.51"	10	4.90
MP 0288	5/8"	2.16"	2.64"	10	4.90
MP 0300	5/8"	2.29"	2.77"	10	4.90
MP 0325	5/8"	2.53"	3.03"	10	5.10
MP 0350	5/8"	2.74"	3.28"	10	5.20
MP 0375	5/8"	2.92"	3.54"	10	5.30
MP 0400	5/8"	3.12"	3.79"	10	5.40
MP 0425	5/8"	3.31"	4.04"	10	5.50
MP 0450	5/8"	3.48"	4.29"	10	6.10
MP 0512	5/8"	4.06"	4.91"	10	6.70
MP 0562	5/8"	4.55"	5.41"	10	6.50
MP 0612	5/8"	5.03"	5.90"	10	6.40



Disposable Nitrile Gloves

The Toughest Disposable Gloves Available!

Black Mamba and Blue Mamba Nitrile Gloves are designed for applications where standard disposable gloves just can't survive. The toughest disposable gloves available, can even be reused in many cases. Patented Nitrex Polymer offers superior strength and tear resistance and three times the chemical resistance of latex or vinyl. Sold in boxes of 100 ambidextrous gloves. Orange Torque Grip Also Available.

Part No.	Size	Color	Thickness	* SPECIAL
BM BLK110	Medium	Black	6.25 Mil	\$ 13.70
BM BLK120	Large	Black	6.25 Mil	13.50
BM BLK130	X-Large	Black	6.25 Mil	13.50
BM BLK140	XX-Large	Black	6.25 Mil	13.50

* 10% Discount for Cases of 10 Boxes Not Assorted

Smooth Grip



Reusable Unlined Nitrile Gloves

Part No.	Size	Thickness	Length	Per Pair SPECIAL
BS 727	Large	13-mil	14"	\$ 2.90
BS 737-11	X-Large	13-mil	14"	11.70
BS 737	Large	22-mil	15"	11.70
BS 737-10	X-Large	22-mil	15"	11.70

10% Discount on Bags of 12 & 20% on Cases - One Size



Reusable PVC Lined Gloves

Rated for NH3 Ammonia



Part No.	Size	Length	Per Pair SPECIAL
BS 7712R	Large	12"	\$ 4.80
BS 7714R	Large	14"	5.50
BS 7718R	Large	18"	5.30

10% Discount on Bags of 12 & 20% on Cases of 72 - One Size



Safety Goggles

Part No.	DISCOUNT	SPECIAL
WL 552	Safety Goggles - Non Vented.. 25%	\$ 6.20
WL 551	Safety Goggles - Vented 25%	5.50

CASE OF 72



SPECIAL PRICES


INDUCTOR SYSTEMS & TANKS

MIX-N-FIL Tank Chemical Inductors

Polyethylene Mix-N-Fil Chemical Inductor Tank has a 16" Lids, 2" FPT Bottom Outlet. 15, 30 and 55 gallon tanks have molded in gallonage marks in 1/2 gallon increments while the 85 gallon is marked in 5 gallon increments.

Chemicals are added to the liquid as it flows through the suction line.

Note: No 16" lids available for Model #110T. (12" Lid)



Part No.	MIX-N-FILL Tanks & Stands	Dia. X Ht.	Wt.	SPECIAL
RT 15T	15 Gallon Inductor Tank.....	19" x 24"	12 lbs.	\$ 127.00
RT 15ST	Stand for 15 Gal. Inductor Tank	19" x 29"	15 lbs.	112.00
RT 30T	30 Gallon Inductor Tank.....	24" x 27"	17 lbs.	157.00
RT 60T	55 Gallon Inductor Tank.....	24" x 43"	24 lbs.	203.00
RT 30SSL	30 Gallon Inductor Tank <i>Stainless</i>	24" x 27"	17 lbs.	991.00
RT 60SSL	55 Gallon Inductor Tank, <i>Stainless</i> ...	24" x 43"	24 lbs.	1636.00
RT 30ST	Stand for 30 or 55 Gal. Inductor Tank...	24" x 33"	18 lbs.	114.00
RT 85T	* 85 Gallon Inductor Tank	30" x 43"	35 lbs.	312.00
RT 110T	110 Gallon Inductor Tank.....	30" x 51"	44 lbs.	326.00
RT 85ST	* Stand for 85 & 110 Gal. Inductor Tank....	30" x 36"	40 lbs.	205.00

* 85 Gal. tank & stand styles changed in 2004. Prior year models will not fit new styles

Vertical & Cone Bottom Storage Tanks



10 to 20,000 Gallons Available



Standard & Heavy Duty Designs Available
Variety of Colors

Call for Pricing & Freight

Polyethylene Inductor Systems 15, 30, 85 & 110 Gallon



15, 30 & 85 Gallon Inductor Tanks feature Banjo polyethylene flange fittings. Includes a water flush and jug rinse hose with 16" fill lid (12" lid on 110 gallon), 2" or 3" manifold system. Unit is plumbed with bypass loop for induction control.

Note: All units shipped assembled as shown.

Part No.	Description	Wt.	SPECIAL
DU 1A15	15 Gallon Inductor with 2" Manifold System	35 lbs.	\$ 1006.00
DU 1A15A	15 Gallon Inductor with 3" Manifold System	35 lbs.	1263.00
DU 1A30	30 Gallon Inductor with 2" Manifold System	65 lbs.	1040.00
DU 1A30A	30 Gallon Inductor with 3" Manifold System	70 lbs.	1288.00
DU 1A60	60 Gallon Inductor, with 2" Manifold System	60 lbs.	1049.00
DU 1A85	85 Gallon Inductor with 2" Manifold System	100 lbs.	1198.00
DU 1A85A	85 Gallon Inductor with 3" Manifold System	105 lbs.	1450.00
DU 1A110A	110 Gallon Inductor with 3" Manifold System	121 lbs.	1489.00

Chemical Jug Rinse System



Chem-Blade is a retrofit jug-splitting stainless knife system which opens chemical containers with speed and efficiency. Instead of operators using hand knives to remove caps and foil seals off containers, they simply bring the bottom of the jug down onto the blades splitting and emptying a 2.5 gallon jug in mere seconds. With water supplying the built in high pressure rotary rinse head, the containers are thoroughly rinsed leaving no chemical in the container, saving money as well as time. Testing showed an operator can spray 25 to 45 more acres per day with the time savings created by **Chem-Blade**. So, recouping the purchase investment is possible in just weeks depending on jug usage.



Part No.	Description	Wt.	SPECIAL
CB 0016	Chemical Blade System		\$ 781.00
DU CB1	Internal Water Plumbing Kit for Chem-Blade *.....		20.30

* Terminates with 3/4" Poly Tank Fitting

Horizontal Elliptical Tanks



FS3250-88 Shown On Optional Skid

Features: Free-standing elliptical tanks rated to 14 Lb./Gal. UV protected polyethylene construction with poly baffle and gallonage markers molded-in on one side and both ends. Black powder-coated steel support hoops and optional skids. Tanks have a 3" HD outlet fitting with siphon opposite an 18" lid.



TANKS - Less Hoops

Part No.	Gallon	Fillwell	Width	Height	Length	Outlet	Wt.	SPECIAL
RT FS3250-88	3250	16"	88"	79"	146"	3"	1208 lbs.	\$ 5481.00
RT FS3250-88-BLK	3250**	16"	88"	79"	146"	3"	1208 lbs.	5481.00

** Black Tank

Steel Hoops for Above Tanks (Required):

Part No.	Description	Wt.	SPECIAL
RT FS3250-HP	1 Set of (4) 1-1/4" Steel Hoops with "feet" for FS3250-88 ..		\$ 1256.00

Steel Skid for Above Tanks (Optional):

Part No.	Description	Wt.	SPECIAL
RT FS23-32SK	Skid for FS2350 - 4250 Gallon Tanks, 90" x 146"	1078 lbs.	\$ 2723.00

Call for Pricing & Freight

Dultmeier Chemical Mixing System

The Dultmeier **QUICK CHEM-MIX** station gives you the ability to add and meter all of your bulk chemicals without using 12-volt chemical pumps and flow meters for each product. One gear meter measures each product without the need to recalibrate for each one and includes 2" or 3" bottom inductors with bypass.



DU CHEM-MIX

When the system is installed downstream of a properly sized centrifugal transfer pump, it pulls each product from mini-bulk tanks one at a time using the vacuum created by the inductor assembly.



Several Models Available - Call for Details

Poly Chem-Blade Inductor Systems



Part No.	Chem Blade Systems	Wt.	SPECIAL
DU 1A30-CB	30 Gallon Inductor with 2" Manifold, Includes "Chem Blade" Jug Rinse System.....	65 lbs.	\$ 1798.00
DU 1A30A-CB	30 Gallon Inductor with 3" Manifold System Includes "Chem Blade" Jug Rinse System	70 lbs.	2018.00
DU 1A60-CB	60 Gallon Inductor with 2" Manifold, Includes "Chem Blade" Jug Rinse System.....	65 lbs.	1809.00
DU 1A60A-CB	60 Gallon Inductor with 3" Manifold System Includes "Chem Blade" Jug Rinse System	70 lbs.	2037.00
DU 1A85-CB	85 Gallon Inductor with 2" Manifold, Includes "Chem Blade" Jug Rinse System.....	65 lbs.	1955.00
DU 1A85A-CB	85 Gallon Inductor with 3" Manifold System Includes "Chem Blade" Jug Rinse System	70 lbs.	2211.00



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

• DAVENPORT, IA

(800) 553-6975



SPECIAL PRICES

MINI-BULK PUMPS & FLOW METERS

CT6 AgChemical Pump Kits



These high flow diaphragm pumps are designed to transfer agchemicals at up to **13-14 GPM**. Fitted with EPDM or Viton seals for resistance to most agchemicals and other selected products.

CT6 Kits Include: CT6 pump with bracket to secure to cage tanks, suction hose with 2" female camlock discharge hose, SEM10 meter and nozzle valve. Pump only.



Part No.	Description	SPECIAL
SI CT6-M-E	CT6 Pump/Meter Kit, 12 Volt	\$ 755.00
SI CT6-M-V	CT6 Pump/Meter Kit for Cage Tank, 12 Volt, Viton®	795.00
SI CT6HF-E	CT6 High Flow Pump/Meter Kit, 12V, EPDM.	820.00
SI CT6HF-V	CT6HF High Flow Pump/Meter Kit, 12 Volt, Viton®	840.00
SI CT6-M-115-E	CT6 Pump/Meter Kit, 115 Volt	822.00
SI CT6-PO-E	CT6 PUMP ONLY, 12 Volt.....	426.00
SI CT6-PO115-E	CT6 PUMP ONLY, 115 Volt.....	481.00
SI CT6-LM-E	CT6 Cage Tank Pump Kit, LESS Meter 12 Volt..	640.00
SI CT6-M-115-V	CT6 Pump/Meter Kit for Cage Tank, 115 Volt, Viton®	872.00
SI CT6HF-LM-V	CT6HF Cage Tank Pump Kit, LESS Meter 12V, Viton®	698.00



CT6 AgChemical Caddy Kits

Caddy Versions include the same features as at right and are enclosed in a convenient carrying frame, with SEM-10 meter, 1" x 12' discharge hose and ball valve nozzle.



CT6-CAD-115

SI	CT6-CAD-E	CT6 Caddy System, 12 Volt	SPECIAL
SI	CT6-CAD-V	CT6 Caddy System, 12 Volt, Viton®.....	872.00
SI	CT6HF-CAD-E	CT6HF "High Flow" Caddy System, 12 Volt..	911.00
SI	CT6-CAD-115-E	CT6 Caddy System, 115 Volt	946.00


SOTERA Tote & Go Pump Kits

SYSTEMS

Use For:

- Agchemicals • Fertilizers • Seed Treatment Liquids • Propionic Acid (Hay Treatment) • Anti-Freeze • Motor Oil • Waste Oil (with Inlet Screen) • Hydraulic Fluid • Transmission Fluid • Soaps & Cleaning Fluids • Deicing Liquids

These versions of the Sotera 400B series diaphragm pump offer maximum flexibility. The motor support bracket allows the unit to set level on the ground or atop a mini-bulk tank. 2" Camlock inlet and 1" FPT outlet. Available in 12V or 115V pumps & pump kits (kits include 1 x 36" suction hose and 1" x 12' EPDM discharge hose with nozzle valve and fittings; Suction tube also included).



Pump Only Shown

Part No.	Description	Amp Draw	SPECIAL
FR 415X731	12 Volt pump only	12.0	\$ 644.00
FR 415X731PG	12 Volt pump kit	12.0	798.00
FR 460X731	115 Volt pump only	12.0	644.00
FR 460X731PG	115 Volt pump kit	12.0	830.00
FR F1855	1" Telescoping Suction Tube		31.00

Electronic Flow Meters

Sotera • Scienco • GPI • Fill-Rite



Model SEM10



Model 825



SHURFLO®



Model FM1100



Model OM025P001-826R7G

GPI



Model FM300H



Model 3000E

Model TT10PN



FILL-RITE

Part No.	Size	Flowrate	Max. Pressure	SPECIAL
**FR 825	1" FPT	2-20 GPM	120 PSI	\$ 275.00
FR TT10PN	1" FPT	2-35 GPM	50 PSI	233.00
*FR 850	1" FPT	2-20 GPM	120 PSI	355.00
SI SEM10	1" MPT	2-30 GPM	60 PSI	245.00
†SI SEM10FTE	1" MPT	3-30 GPM	100 PSI	245.00
**SI SEM10FTV	1" MPT	3-30 GPM	100 PSI	248.00
GI FM300H	1"	2-20 GPM	50 PSI	448.00
SU FM1100	1" FPT	2-20 GPM	100 PSI	357.00
†SU FM1100I	1" FPT	2-20 GPM	100 PSI	331.00
DP 3000E	1"	2-22 GPM	40 PSI	319.00
**DP 3000V	1"	2-22 GPM	40 PSI	337.00
GI OM025P001-826R7G	1" FPT	3-40 GPM	175 PSI	932.00

* Includes Air Eliminator. † Hose End Style. ** V= Viton® Seals

Dura Meter Viton® & EPDM



Part No.	Description	SPECIAL
DP HFM2V	2" Dura-Meter, Viton®.....	\$ 966.00
DP HFM3V	3" Dura-Meter, Viton®.....	1201.00
DP HFM2E	2" Dura-Meter, EPDM.....	914.00
DP HFM3E	3" Dura-Meter, EPDM.....	1150.00

Hose Assemblies EPDM for Herbicides



Part No.	SPECIAL
GD HS9379	\$ 47.50

These **EPDM Hose Assemblies** are first quality replacement for HERBICIDE HOSES. For Sotera, Scienco & GPI Chemical Pump Units. **No. HS9379** is 1" x 12' with 1" MNPT crimped ends.





SPECIAL PRICES

MINI-BULK PUMPS & METER SYSTEMS

Dura-Pump™ Easy Caddy Systems



FEATURES: Can be mounted in (6) different configurations on a variety of tank/tote and drum types • 1" x 5' Suction hose & 1" x 12' Discharge hose with ball valve nozzle • Polypropylene fittings & 2" camlock for cage tank bottom port suction • Optional meter is DP 3000E or DP 3000V • Features 2 Year Warranty.



Part No.	Description	SPECIAL
DP E6018E-12	12 Volt Pump Only, EPDM.....	\$ 766.00
DP E6018E-110	115 Volt Pump Only, EPDM.....	834.00
DP E6018V-12	12 Volt Pump Only, Viton®	805.00
DP E6018V-110	115 Volt Pump Only, Viton®	888.00
DP T4001	1" Telescoping Suction Tube.....	33.25

Ask about upgrading DP3000 to Auto Batch



Dura-Pump™

-Repair Kits Available-

Part No.	Description	SPECIAL
DP 6018E-12	12 Volt Pump Only, EPDM.....	\$ 650.00
DP 6018E-110	115 Volt Pump Only, EPDM.....	716.00
DP 6018V-12	12 Volt Pump Only, Viton®	688.00
DP 6018V-110	115 Volt Pump Only, Viton®	785.00
DP T4001	1" Telescoping Suction Tube.....	33.25



DURA-ABV™ & BANJO EVX® Auto Batch Meter with Valve



How It Works

- 1 Select the volume desired
- 2 Press START
- 3 Banjo EVX® Valve will open, fluid is measured and valve automatically closes upon completion

- Pump Not Included -



- Flow Rate: 2 to 22 GPM & Maximum Pressure: 40 PSI
- Meter Accuracy is ± 0.5%
- Backlit LCD Display
- Powered By (4) "AAA" Batteries
- Wetted Materials: Polypropylene, 304 Stainless Steel, Ryton, EPDM, Viton® or Silicone Seals
- Moisture Sealed

- Amount Metered & Batch Count
- Units Measured is Gallons, Liters or Ounces
- Calibration: Quick List or Manual
- Dimensions: 5-1/4" W x 5-1/4" H x 4-1/4" D
- Operating Temperature is -10° F. to +130° F.
- Weight is 1.5 lbs.

Part No.	Description	SPECIAL
DP DURA-ABV-B	Dura ABV Auto BatchPreset Meter for 12V Control Valve....	\$ 842.00
TK MEVX100B	1" Flanged 12V Banjo Valve with 18" Cable & 3 Pin Weather Pack Connector.....	383.00
DU ABV-MEVX-1	1" Plumbing Kit, Flanged	7.60



DURA-ABS™ Auto-Batch System - Direct Injection

The *Dura Auto-Batch System DI (Automated Direct Injection)* works by direct injecting herbicides automatically into the sprayer carrier while filling the sprayer tank.

Automated DI (Direct Injection)

- Filling your sprayer has never been easier or faster
- Check valves eliminate potential of herbicide backflow
- Accurately dispenses repeatable batches within 0.5% in ounces, gallons or liters
- Eliminates cross contamination
- Eliminates herbicide exposure and operator error
- Eliminates rinsing and wasting of chemical
- 3-Way valve provides for easy calibration and provides ability to plumb for recirculation of herbicide tank
- No data recording; not legal for direct resale



Direct inject herbicides into the carrier stream.

How It Works

- 1 Select the volume desired
- 2 Press START
- 3 The ABS Pumps will begin to dispense fluid then automatically shut off when complete

Example fill

37.5 gallons of SureStart®
37.5 gallons of Atrazine
25.0 gallons of Glyphosate
12.5 gallons of 2,4-D

All direct injected at once in less than 5 1/2 minutes with 2" plumbing

Part No. Inductor, Inductor Tank & Large Pump Sold Separately

DP AB-DI2E-12	AutoBatch Direct Inject System, 2IN, 4 Prods, 12V, EPDM
DP AB-DI2V-12	AutoBatch Direct Inject System, 2IN, 4 Prods, 12V, Viton®
DP AB-DI2E-110	AutoBatch Direct Inject System, 2IN, 4 Prods, 110V, EPDM
DP AB-DI2V-110	AutoBatch Direct Inject System, 2IN, 4 Prods, 110V, Viton®
DP AB-DI3E-12	AutoBatch Direct Inject System, 3IN, 4 Prods, 12V, EPDM
DP AB-DI3V-12	AutoBatch Direct Inject System, 3IN, 4 Prods, 12V, Viton®
DP AB-DI3E-110	AutoBatch Direct Inject System, 3IN, 4 Prods, 110V, EPDM
DP AB-DI3V-110	AutoBatch Direct Inject System, 2IN, 4 Prods, 110V, Viton®

Call for Pricing!

Dura™ Auto Batch Systems

Finally An Economical Transfer System Offering An Automated Dispensing Option!

- **HOWITWORKS:** Simply select the volume desired, Press Start, and the pump will begin to dispense fluid and automatically shuts off when target is reached.



Part No.	Description	SPECIAL
DP ABS-6318E-12	Auto Batch, 12 Volt, EPDM Seals.....	\$ 1416.00
DP ABS-6318V-12	Auto Batch, 12 Volt, Viton® Seals.....	1513.00
DP ABS-6318E-110	Auto Batch, 115 Volt, EPDM Seals.....	1519.00
DP ABS-6318V-110	Auto Batch, 115 Volt, Viton® Seals.....	1581.00
DP ABS-EX10	10' Extension Cable to Mt. Meter/ Controller Remotely from 12V Pump.....	95.00

12 Volt Diaphragm Pump (5.3 GPM)

For Use with a Wide Variety of Applications

- 5.3 GPM Max; 3.8 GPM @ 40 PSI
- "Demand Style" Pressure Switch; cut in 45 PSI; cut out 60 PSI
- "By-Pass" Style Also Available
- 12-Volt DC or 115V AC
- 1/2" FPT Or 3/4" Quick Tach Ports
- 5 Chamber Diaphragms
- Polypropylene Housing, Viton® Valves, Santoprene Diaphragm
- Amp Draw at 0 PSI = 5.5
Amp Draw at 60 PSI = 18.0 (water)



Part No.	Max. GPM	Ports	Control	Voltage	SPECIAL
AQ 550	5.3	1/2" FPT	Demand	12V	\$ 156.00
AQ 551	5.3	1/2" FPT	Bypass	12V	174.00



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

• DAVENPORT, IA

(800) 553-6975



SPECIAL PRICES

LIQUID FLOW MONITORING SYSTEMS/HOSE REELS



Electronic Flow Monitoring System

Designed for AgChemical & Liquid Applications




The **Wilger Electronic Flowmeter (EFM)** is a fully serviceable electronic flowmeter & monitoring system specifically designed for agricultural chemical & liquid applications. Like visual ball flow indicators, the EFM system monitors variations in flow rate, but has the added benefit of electronic readouts of actual flow—not just relative flow—for each row.

Electronic Flowmeter Starter Kits

Part No.	Description	SPECIAL
DU EFM12-N	EFM Core Kit, 12 Row, New Install	\$ 2931.00
DU EFM16-N	EFM Core Kit, 16 Row, New Install	3152.00
DU EFM24-N	EFM Core Kit, 24 Row, New Install	4520.00
DU EFM12-R	EFM Core Kit, 12 Row, Retrofit	2641.00
DU EFM16-R	EFM Core Kit, 16 Row, Retrofit	2759.00
DU EFM24-R	EFM Core Kit, 24 Row, Retrofit	3889.00

New Installs includes ECU, 16 CH Node & Harness, Manifolds, EFM Assemblies, 3/8" 10# Check Valves/Caps & 3/8" Tubing in required Qty. **Retrofits** include same as New Install kits less Manifold fittings, Check Valves/Caps & Tubing.

— Additional Configurations Available, Please Call With Specifications —



Example Screen of Electronic Flow Monitoring App
Free Android download at www.Wilger.net



Scan me

For More Information

Illustration of An Assembled 16-Row, Single Product EFM System



* Kits include All Items & Ship Unassembled.

Large Hose Reels

For 2" & 3" Hose • Manual & 12V with Remote Controls

Super Reels™ Hose Reels are excellent for efficient and easy transfer of water and fertilizers through large 2" and 3" hoses. Great for farm, ranch, turf and other applications. All models include stainless steel swivels and non-corrosive top, bottom and side hose guide rollers. All 12-volt models include built-in hand switch and remote key fob for power in and power out reeling. **Not for use with fuels or oils.**

FEATURES:

- Heavy-Duty Steel Construction with Powder Coat Finish
- Stainless Steel Swivel with FPT Inlet/Outlet
- 12 Volt Motor with Built-On Switch & One Key FOB Remote Control
- Manual Clutch Lockout for Easy Pull-Out
- Non-Corrosive Guide Rollers
- Viton® Seals
- Chain Guard
- Manual Crank Handle Included On All Models

Part No.	Hose Size I.D.	Rewind	Ship Wt.	SPECIAL
FS HR200SS	2" & 2"	Manual	150 lbs	\$ 1456.00
FS HRE200SS	2" & 2"	12 Volt	150 lbs	1997.00
FS HRE300SS	3" & 3"	12 Volt	255 lbs.	3089.00
FS CHR1121	Additional Key Fob Remote Control...			43.25
DU 1AB2	2" Air Blowout Elbow Kit*			22.90
DU 1AB3	3" Air Blowout Elbow Kit*			76.50

* Each Kit includes (1) Poly Port Flange Elbow with 1/4" Gauge Port, (1) Flange by FPT Adapter, (1) Flange Clamp, (1) EPDM Gasket - for connection to hose reel inlet.

No FREE Freight



CHR1121 Key FOB Remote
(One Key Fob Included with All Electric Models)

Grain Cart Fire Fighter Sprayer

- 150 Gallon Capacity
- Sprays Up to 40 Feet!

Call for Pricing!



FS GUARD-150

UTV Skid Sprayers

— 60 & 100 Gallon Models —
Many Models Available



FS UTV60EC-3KZ

Call for Pricing!



Scan our QR code to see a sprayer in action





SPECIAL PRICES

NH3 FLOW MONITORING SYSTEMS & EQUIPMENT

Nitro-Lert™ for Rate Control Systems

The **Hiniker Nitro-Lert Anhydrous Ammonia Knife Monitor System** is the industry leading knife monitoring system which alerts operators to individually blocked manifold outlets, lines, or knives. In-line sensors monitor each outlet's flow variations, helping catch and correct potential application inconsistencies while also reducing downtime and overall product costs.



FEATURES:

- Monitor up to 80 individual outlets
- Detects plugged knives when operator turns flow off and on
- Signals potentially broken/blocked knives due to flow variation
- Audible system alarms alert operator to potential malfunctions
- User friendly interface — easy-to-read bar graph in-cab display monitor



Nitro-Lert Console

Part No.	Description	SPECIAL
HK 8035	Nitro-Lert Console Kit	\$ 1354.00

Line Sensors

Part No.	Description	SPECIAL
HK 36021004	3/8" Line Sensor.....	\$ 238.00
HK 36021017	1/2" Line Sensor.....	245.00

Adapter Cables

Part No.	Description	SPECIAL
HK 38818018	Adapter Cable for JD Greenstar, 10'	\$ 553.00
HK 38818019	* 12' Adapter Extension Cable	151.00
HK 38818020	* 20' Adapter Extension Cable	160.00
HK 38818021	Adapter Cable for Raven 440/450/460.....	360.00

Line Sensor Cables

Part No.	Description	SPECIAL
HK 38818010	10' Line Sensor Extension Cable.....	\$ 65.00
HK 38818011	15' Line Sensor Extension Cable.....	67.00
HK 38818012	20' Line Sensor Extension Cable.....	72.50
HK 38818013	25' Line Sensor Extension Cable.....	65.00
HK 38818014	30' Line Sensor Extension Cable.....	79.00

Hose End Swivels for NH3 & LPG

The **Hose End Swivel** increases freedom of movement to make attaching or disconnecting hose end valves easier. It also prevents twisting of the hose. U.L. listed.

- Full bore opening offers no flow restriction.
- Unique TFE Pressure Core™ seal eliminates the need for O-rings or lip seals, giving longer working life.
- Lightweight yet sturdy enough to withstand rough handling.
- 400 PSI maximum working pressure.
- Requires No Lubrication.



Part No.	Connection Size	Diameter	Length	Repair Kit	SPECIAL
ST 107	3/4" MPT x 3/4" FPT	2-11/16"	4-3/16"	ST107-0022	\$ 320.00
ST 109	1" MPT x 1" FPT	3-1/16"	4-3/8"	ST109-0022	255.00
ST 111	1-1/4" MPT x 1-1/4" FPT	3-5/8"	4-3/4"	ST111-0022	415.00

NH3 Distribution Manifolds



Impellicone Flow Divider
JOHN BLUE

MVD Manifold System

Section Control Kits Also Available
Call for Pricing


Part No.	Description	SPECIAL
ST A1805	16 Port Equa-Flo	\$ 446.00
BU IP1300	Impellicone, 13 Port	339.00
BU IP1800	Impellicone, 18 Port	455.00
CN MVD-16A	MVD, 20-150 lbs/AC	331.00
CN MVD-16A2	MVD, 150+lbs/AC	332.00



NH3 Control-Metering Systems

with Heat Exchanger

45 GPM & 70 GPM



Horizontal Model shown with Meter

High Capacity, 1-1/2", 45 GPM NH3 Control-Metering Systems with Heat Exchangers. These kits come complete with heat exchangers, mounting brackets, control and shut-off valves and all required plumbing. All that's required is a controller and wire harness. Includes 1-1/4" full port, 120 degree control valve that increases your accuracy more than typical 90 degree control valves. Twin 1-1/4" valves also provide excellent accuracy and control at low rates as well as high rates.

Standard Features

- 45 GPM 1-1/2" System Complete with valves, forged steel fittings & mounting brackets.
- Heat Exchanger Includes Stainless Inner Tubes & Bonnets.
- Inlet Y-Strainer & Stainless Steel Ball Valve Included.
- 12-Volt Control & Shut-Off Valves with KZ Motors (Two Valves System Provides Optimal Accuracy).
- Heat Exchanger can be disassembled for Easy cleaning & maintenance.
- 1-1/2" Stainless Flow Meter (Sold Separately on LM Systems).
- Preassembled for Easy Installation.
- Systems with Meters Include Raven Stainless Meter.

Part No.	Description	SPECIAL
CN ASF3000GH-M	1-1/2" Horizontal System With Raven Meter.....	\$ 5772.00
CN ASF3000G-M	1-1/2" Vertical System With Raven Meter.....	5826.00
CN ASF3000BD	Dual Heat Exchanger, Horizontal With Raven Meter.....	8385.00
CN ASF3000GHY2KT	70 GPM With Dual Valves, 2 Inlets	6327.00
RV RFM60S	1-1/2" Stainless Raven Meter.....	1109.00
CN ABVT125SO	* 1-1/4" On/Off FP Valve.....	743.00
CN ACVT125	* 1-1/4" Regulating FP Valve.....	869.00
CN ACCU-COOLER	Retrofit Kit - Direct Repl. for RAVEN AccuFlow	1664.00

* Includes Raven Connall Connector.

Flow Meters & Valves for NH3



RFM60S




67G22-10DY0-CF1

Part No.	Description	SPECIAL
RV RFM60S*	1-1/2" Flowmeter	\$ 1109.00
KZ S8F33-1AE9S-C01*	1" NH3 On/Off	495.00
KZ S8F33-1CE9S-D01	1" NH3 On/Off	436.00
KZ 67G22-10DY0-CF1*	1-1/4" NH3 On/Off	669.00

* Includes Raven Connection Harness.

ACCUFLOW™ VORTEX



AccuFlow™ HP Plus

Key Benefits:

- Single or dual valve systems
- Capable of up to 8 Section & automatic section shut-off
- Simple cooler disassembly for easier maintenance
- Increased capacity with smaller footprint on toolbar. Advanced controls for high & low end application
- ISO Compatible.

Two Inlets Shown

Part No.	Description	SPECIAL
RV 718	AccuFlow™ Vortex with Dual Valves, 1 Inlet.....	\$ 10066.00
RV 716	AccuFlow™ Vortex with Dual Valves, 2 Inlets.....	11260.00



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

• DAVENPORT, IA


(800) 553-6975



SPECIAL PRICES

HITCHES / COUPLERS / NH3 KNIVES & EQUIPMENT

UNITED TRUCK PARTS DMI Hitches



Part No.	Item Description	SPECIAL Price
UI 47070007	Quic'N Easy Hitch Frame	\$ 1035.00
UI 47090001	Cush'N Combo Hitch Frame	819.00
UI 47070001	Quic-Cush'N 2 Hitch Frame	872.00

* Call With Make/Model/Year for Mounting Kits

Overhead Valve Engines

HONDA RECOIL & ELECTRIC STARTERS HORIZONTAL-SHAFT ENGINES

GX Series - Ideal for use as a Replacement Pump Engine

OHV Style. All Honda standard features plus transistorized ignition system, dual oil fillers, rewind starters, bottom intake air cleaner and oil alert feature.

GX390 11.7-HP SERIES (389cc)

The largest of Honda's single cylinder industrial engines. All standard Honda features plus CDI ignition with electronic advance, oil alert feature and automatic decompression release. Fuel tanks are 7.4 Qt.

Crankshaft: 1" diameter tapped 3/8-24 UNF with keyway.

GX390K1QA Standard Model: With rewind starter.



GX390



4.8-HP GX160 Series (163cc)

GX160K1QXE: Same as GX160K1QX except with electric start.

GX160K1TX: Pump Engine has a 5/8"-18 threaded shaft and mounting flange for use with close-coupled Centrifugal pumps.

5.5-HP GX200 Series (196cc)

GX200QX2: Has a 3/4" O.D. Keyed shaft, drilled & tapped 5/16"-24.

Part No.	Make	** Starter	Shaft	SPECIAL Price
AE GX160K1QXE	Honda, 4.8 HP	12-Volt	3/4" Solid	\$ 609.00
AE GX160K1QX	Honda, 4.8 HP	Recoil	3/4" Keyed	353.00
AE GX160K1TX	Honda, 4.8 HP	Recoil	* 5/8" Threaded	389.00
AE GX200QX2	Honda, 5.5 HP	Recoil	3/4" Solid	367.00
AE GX390K1QAE	Honda, 11.7 HP	12-Volt	1" Keyed	850.00

* Threaded shaft for centrifugal pumps.

** 12-Volt Starters are Standard with 9 Amp Alternators.

Parker 7262 Anhydrous Ammonia Nylon Hose Assemblies (SS Available)



- Custom Lengths Available -

Part No.	I.D.	O.D.	Ends	Length	Bend Radius	SPECIAL Price
ST AN10003	1"	1.51"	1" MPT	3'	10"	\$ 74.00
ST AN10005	1"	1.51"	1" MPT	5'	10"	100.00
ST AN10010	1"	1.51"	1" MPT	10'	10"	162.00
ST AN10012	1"	1.51"	1" MPT	12'	10"	185.00
ST AN10015	1"	1.51"	1" MPT	15'	10"	224.00
ST AN10020	1"	1.51"	1" MPT	20'	10"	284.00
ST AN12503	1-1/4"	1.78"	1-1/4" MPT	3'	12"	131.00
ST AN12505	1-1/4"	1.78"	1-1/4" MPT	5'	12"	169.00
ST AN12510	1-1/4"	1.78"	1-1/4" MPT	10'	12"	262.00
ST AN12512	1-1/4"	1.78"	1-1/4" MPT	12'	12"	301.00
ST AN12515	1-1/4"	1.78"	1-1/4" MPT	15'	12"	356.00
ST AN15012	1-1/2"	2.03"	1-1/2" MPT	12'	14"	485.00
ST AN15015	1-1/2"	2.03"	1-1/2" MPT	15'	14"	590.00
ST AN20020	2"	2.75"	2" MPT	20'	16"	1121.00

Side Mount NH3 Knives



- Standard with 3/8" NH3 tubes; 3/8" x 3/4" vapor tubes models also available
- Excellent sealing & wearing characteristics
- Knives in stock from Hi-Pro Mfg., Shield & Wako

Part No.	Description	SPECIAL Price
WC MAG40	7/16" Side Mount with 3/8" Tube	\$ 60.50
WC MAG40BTS	7/16" Side Mount with 3/8" Tube, with Sealer	69.00
WC MAG50	1/2" Side Mount with 3/8" Tube	61.50
WC MAG50BTS	1/2" Side Mount w/3/8" Tube, with Sealer	74.50
WC W154	1/2" Gopher Knife with 3/8" Tube	55.50
WC W158	MAG50 Knife with 3/8" & 3/4" Double Tube	86.50
HP B33MOLE	B33 Mole Knife	49.00
HP B33MOLE-X	B33 Mole with Vapor Tube	61.50
HP MINIMOLE	Mini-Mole Knife	49.00
HP MINIMOLE-X	Mini-Mole with Vapor Tube	61.50
BE DF-1PM	Shield Knife	63.50
BE DF-1PM34DA	DF-1PM with Vapor Tube	95.00

SPECIAL 5% Discount On 50+ One Item

Spring Shanks

Part No.	Description	SPECIAL Price
BE CS1236	BlueJet Shank	\$ 145.00
BE KSC1295	2x1 BlueJet Shank	96.00
BE KSC1298	2x1 DMI Shank	97.00

SPECIAL 5% Discount On 10+ One Size

NH3 GAUGES Stainless Stems



Part No.	Range	Type	Dial	Conn.	SPECIAL Price
AH A620	60 PSI	Dry	2-1/2"	Bottom	\$ 12.30
AH A1520	160 PSI	Dry	2-1/2"	Bottom	12.50
AH A420	400 PSI	Dry	2-1/2"	Bottom	12.20
AH ASG604	60 PSI	Dry	4"	Bottom	23.80
AH ASG4004	400 PSI	Dry	4"	Bottom	24.50

*Less 10% On 20 or More

NH3 Breakaway Couplers for Toolbars



4500-6
1" Coupler with 1" FPT Male Tip and Swivel Clamp Assembly.

ST FM126-1000



Part No.	Description	SPECIAL Price
ST IB125	1-1/4" Break-A-Way Coupler	\$ 1413.00
ST FM126-1000	1-1/4" Break-A-Way Coupler	831.00
ST FM150-1001	1-1/2" Break-A-Way With "EZ" Bracket	1547.00
CN AHFC114	1-1/4" High Flow Coupler	664.00
CN BSWV150G	1-1/2" High Flow Coupler	1092.00
ST EZ-BRACKET	"EZ" Bracket for FM126 & FM125	185.00
PA 4500-6	* 1" FPT Pioneer NH3 Coupler Assembly	531.00
PA 4500-6M	* 1" Acme Pioneer NH3 Coupler Assembly	484.00
PA 4500-7	* 1-1/4" FPT Pioneer NH3 Coupler Assembly	653.00

* 5 Year Removal Date





SPECIAL PRICES

FUEL TANKS - PUMPS - HOSES - FILTERS - METERS - NOZZLES

FILL-RITE Super High Flow 115/230-Volt Diesel Pump FR319VB Diesel Pump



35 GPM (Open Discharge)

Part No. FR FR319VB 115/230 Volt Diesel Pump with Digital Meter, 1"x18" hose & Automatic Nozzle. 27 GPM at the nozzle.



\$ 2095.00

V25 Fuel Transfer Pump

12V Fuel Pump with 1"x18' Hose & Automatic Diesel Nozzle



25 GPM

Part No.	Nozzle	Power Cord	Suction Pipe	Hose	SPECIAL
GI V25-012AD	Auto Diesel	Installed	1" Telescoping	1"x18'	\$ 1049.00

FILL-RITE Heavy-Duty Fuel Pumps

2 Year Warranty

12 Volt


Heavy Duty 12-Volt Fuel Pumps with hose, manual or auto nozzle, suction pipe, and power cable. Models from 15-25 GPM. Less meter.

Part No.	Capacity	Hose & Man. Nozzle	SPECIAL
FR 1210	15 Gpm Pump, 12' Hose & Man. Nozzle		\$ 488.00
FR FR4210	20 Gpm Pump, 12' Hose & Man. Nozzle		595.00
FR NX25-12V	25 Gpm Pump, 18' Hose & Auto Nozzle		1387.00

SPECIAL
\$ 488.00
595.00
1387.00



Model NX25-12V




Model 700

115 Volt

Heavy Duty 115-Volt Fuel Pump with 12 ft. of hose & manual nozzle. 20 GPM. Less meter.

Part No.	Capacity	Hose & Man. Nozzle	SPECIAL
FR FR700	Pump, Less Meter		\$ 784.00
FR FR701	Pump with Meter		965.00

SPECIAL
\$ 784.00
965.00



Model 311VB

Heavy Duty 115-Volt Fuel Pump with meter, 18 ft. of hose & automatic nozzle. 35 GPM.

Part No.	Capacity	Hose & Man. Nozzle	SPECIAL
FR 310VB	Pump, Less Meter		\$ 1610.00
FR FR311VB	Pump with Meter		1963.00

SPECIAL
\$ 1610.00
1963.00

Farm Pump Hose Assemblies



Not U.L. Listed



Part No.	Length	Inlet	Outlet	Material	SPECIAL
GD L64-3/4X10	10'	3/4"	3/4"	MPT	\$ 36.50
HK FT12S14	14'	3/4"	3/4"	MPT	51.50
HK FT12S20	20'	3/4"	3/4"	MPT	70.00
GD L64-1X10	10'	1"	1"	MPT	53.00
GD L64-1X12	12'	1"	1"	MPT	61.50
HK FT16S14	15'	1"	1"	MPT	76.00
HK FT16S20	20'	1"	1"	MPT	93.50

Quantity Discounts Available

Fuel Storage Tanks Tanks Only or Complete Systems



Features:

- Three 2" top openings, 1-1/2" rotary gauge port & 2" drain
- Full-length skids
- Red enamel finish (White available)
- NOT UL listed

Part No.	Capacity	Size	Gauge	Wt.	SPECIAL
HS T520-50	520 Gallon	50" x 61"	14	350 lbs.	\$ 1488.00
HS T1000-64	1000 Gallon	64" x 72"	12	850 lbs.	2464.00

- Other Sizes & UL Listed Double Wall Tanks Available -

CIM-TEK Fuel Filters



Part No.	Description	Std. Pkg.	Price Each
* CI 200AH	Cast Iron Head.....	6	\$ 22.10
* CI 200H-3/4	3/4" Cast Iron Head.....	6	19.50
* CI 200AE	1" Element.....	6	14.00
* CI 200E	3/4" Element.....	6	12.60
* CI 200E-30	3/4" Element, 30 Micron....	6	12.70
** CI 260HS10II	10M 3/4" Hydrosorb Element..	12	18.30
** CI 260HS30II	30M 3/4" Hydrosorb Element..	12	18.90
** CI 260AHS10II	10M 1" Hydrosorb Element.....	12	20.10
** CI 260AHS30II	30M 1" Hydrosorb Element.....	12	20.50

* Or Less 20% on 36. ** Less 10% on Std. Pkg. or Less 20% on 48.

Automatic Fuel Nozzles

UL/cUL Listed

Standard-Duty Fuel Nozzles with automatic shutoff. Rugged design for long-lasting performance during continued use. Color coding and differing spout diameters prevent cross fueling.



Part No.	Inlet	Style	Color	Spout	GPM	SPECIAL
FR SDN075R	3/4"	Unleaded	Red	13/16"	14.5	\$ 67.50
FR SDN075G	3/4"	Diesel	Green	15/16"	14.5	65.50
FR SDN100G	1"	Diesel	Green	1-1/8"	25	100.00



Hi-Speed Diesel Nozzles
Model 1HS to 25 GPM
Model 18 to 75 GPM

NON-UL

- Rugged with full grip nozzle guard and trigger cover to take trucker's rough-handling.
- Has flow-stop with vital parts composed of stainless steel.

Part No.	Nozzles	Style	Guard Color	Inlet	Spout	GPM	SPECIAL
HK 45C	Farm	Diesel	Green	1" FPT	15/16"	18	\$ 125.00
HK 45CU	Farm	Unleaded	Red	1" FPT	13/16"	15	124.00
HK 45CHF	Farm	Diesel	Green	1" FPT	1-1/8"	20	117.00



DULTMEIER SALES

OMAHA, NE

(800) 228-9666



DAVENPORT, IA (800) 553-6975



Box 45565

Omaha, Nebraska 68145-0565



Or Current Resident

PRRST STD
U.S. POSTAGE
PAID
OMAHA, NE
PERMIT NO. 314

OMAHA, NEBRASKA
13808 Industrial Road
Omaha, NE 68137

TOLL-FREE 1-800-228-9666
LOCAL 1-402-333-1444
FAX No. 1-402-333-5546
E-MAIL dultmeier@dultmeier.com

DAVENPORT, IOWA
601 West 76th Street
Davenport, IA 52806

TOLL-FREE 1-800-553-6975
LOCAL 1-563-386-0930
FAX No. 1-563-386-5448
E-MAIL dultmeier@dultmeier.com

**2025 Early Order
Specials Inside!**



© Dultmeier Sales 2025


SPECIAL!

**2025 EARLY ORDER
SPECIAL PRICES GOOD THRU 3/03/25**

Limited Quantities Available On Some Items - Prices Subject to Change Without Notice


E.O. 1/25

**Complete High Volume Diesel
Transfer Pump Units**



These rugged units are designed for high volume diesel transfer so you can fill equipment quickly and save valuable time. 1" Units will provide **32 GPM** and 1-1/2" units will provide **60 GPM**.

Drive Options:
• Gas Engine • Electric Motor • Less Engine



Scan our QR code to watch a video about these units

FPU1.5-M1M

Part No.	Description	Flowrate	Hose Size	SPECIAL
DU FPU1P	1" Diesel Transfer Unit	32 GPM	1"	\$ 3784.00
DU FPU1.5P	1-1/2" Diesel Transfer Unit	60 GPM	1-1/2"	5593.00
DU FPU1-M1	1" Diesel Unit, 3 HP Motor	32 GPM	1"	4673.00
DU FPU1.5-M1	1-1/2" Diesel Unit, 3 HP Motor	60 GPM	1-1/2"	6548.00
DU FPU1.5-M1M	1-1/2" Diesel Unit, 3 HP, with Meter	60 GPM	1-1/2"	7326.00

Piusi Portable DEF Tank Package

- Standard Features:**
- 58 or 116-Gallon Capacity
 - SB325 DEF Automatic Nozzle
 - 12V DC DEF Pump
 - 13 Ft Discharge Hose
 - 6.5 Ft Pump Power Cables with Clamps
 - Lockable Lid
 - Pallet Jack Base for Easy Loading or Unloading
 - 9 GPM Pump
 - 20 Min Duty Cycle
 - Inlet is 2" BSP



PPT116



PPT58



No FREE Freight

Part No.	Description
PU PPT58	Portable DEF Tank Pkg, 58 Gal, 12V, 9GPM
PU PPT116	Portable DEF Tank Pkg, 116 Ga, 12V, 9GPM
PU F2066	12 Volt, 18 Ft. Power Cable Extension with Clamps.

Call for Pricing